



SAFETY DATA SHEET

Cherry Glaze

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Cherry Glaze

Chemical name

Product number 453-10

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Car maintenance product. - Polish.

Uses advised against For professional use only. This product is not recommended for any industrial, professional or consumer use other than the Identified uses above.

1.3. Details of the supplier of the safety data sheet

Supplier Autosmart International Ltd
Lynn Lane,
Shenstone, nr Lichfield
Staffordshire. WS14 0DH
England
www.autosmartinternational.com
Tel: +44 (0) 1543 481616 (09:00 - 17:00)
Fax: +44 (0) 1543 481549 (09:00 - 17:00)
info@autosmartinternational.com

Contact person Mr. Russell Butler

Manufacturer

1.4. Emergency telephone number

Emergency telephone Mob: +44 (0) 7808 971321 (24hrs)
Tel: +44 (0) 1543 481616 (09:00 - 17:00)
Fax: +44 (0) 1543 481549 (09:00 - 17:00)

If you urgently need medical help or advice but it's not a life-threatening situation, call 111 free from any phone to speak to an NHS adviser. The 24-hour NHS 111 service can give you healthcare advice or direct you to the local service that can help you best.

The NHS 111 service will also be available via the harmonised European number for medical advice 116 117

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards

Not Classified

Health hazards

STOT SE 3 - H336

Environmental hazards

Aquatic Chronic 3 - H412

Classification (67/548/EEC or 1999/45/EC)

2.2. Label elements

Pictogram

Cherry Glaze

**Signal word**

Warning

Hazard statements

H336 May cause drowsiness or dizziness.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing vapours.
P261 Avoid breathing dust.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P501 Dispose of contents/container in accordance with national regulations.

Contains

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

Detergent labelling

< 5% cationic surfactants, < 5% non-ionic surfactants, < 5% perfumes

Supplementary precautionary statements

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics 20-30% CAS number: 64742-48-9 EC number: 919-857-5 REACH registration number: 01-2119463258-33-XXXX										
<table style="width: 100%; border: none;"> <tr> <td style="width: 50%; border: none;">Classification</td> <td style="width: 50%; border: none;">Classification (67/548/EEC or 1999/45/EC)</td> </tr> <tr> <td style="border: none;">Flam. Liq. 3 - H226</td> <td style="border: none;">Xn;R65. R10,R66,R67.</td> </tr> <tr> <td style="border: none;">STOT SE 3 - H336</td> <td style="border: none;"></td> </tr> <tr> <td style="border: none;">Asp. Tox. 1 - H304</td> <td style="border: none;"></td> </tr> </table>	Classification	Classification (67/548/EEC or 1999/45/EC)	Flam. Liq. 3 - H226	Xn;R65. R10,R66,R67.	STOT SE 3 - H336		Asp. Tox. 1 - H304			
Classification	Classification (67/548/EEC or 1999/45/EC)									
Flam. Liq. 3 - H226	Xn;R65. R10,R66,R67.									
STOT SE 3 - H336										
Asp. Tox. 1 - H304										
Anhydrous Aluminium Silicate 2-5% CAS number: 92704-41-1 EC number: 296-473-8 Substance with a Community workplace exposure limit.										
<table style="width: 100%; border: none;"> <tr> <td style="width: 50%; border: none;">Classification</td> <td style="width: 50%; border: none;">Classification (67/548/EEC or 1999/45/EC)</td> </tr> <tr> <td style="border: none;">Not Classified</td> <td style="border: none;">-</td> </tr> </table>	Classification	Classification (67/548/EEC or 1999/45/EC)	Not Classified	-						
Classification	Classification (67/548/EEC or 1999/45/EC)									
Not Classified	-									
Distillates (petroleum), hydrotreated light. 1-2% CAS number: 64742-47-8 EC number: 265-149-8 REACH registration number: 01-2119484819-18-XXXX Substance with a Community workplace exposure limit.										
<table style="width: 100%; border: none;"> <tr> <td style="width: 50%; border: none;">Classification</td> <td style="width: 50%; border: none;">Classification (67/548/EEC or 1999/45/EC)</td> </tr> <tr> <td style="border: none;">Asp. Tox. 1 - H304</td> <td style="border: none;">Xn;R65. R66.</td> </tr> </table>	Classification	Classification (67/548/EEC or 1999/45/EC)	Asp. Tox. 1 - H304	Xn;R65. R66.						
Classification	Classification (67/548/EEC or 1999/45/EC)									
Asp. Tox. 1 - H304	Xn;R65. R66.									
2,2'-(Octadec-9-enylimino)bisethanol 0.2-0.5% CAS number: 25307-17-9 EC number: 246-807-3 REACH registration number: 01-2119510876-35-XXXX M factor (Acute) = 10 M factor (Chronic) = 1										
<table style="width: 100%; border: none;"> <tr> <td style="width: 50%; border: none;">Classification</td> <td style="width: 50%; border: none;">Classification (67/548/EEC or 1999/45/EC)</td> </tr> <tr> <td style="border: none;">Acute Tox. 4 - H302</td> <td style="border: none;">Xn;R22. C;R34. N;R50.</td> </tr> <tr> <td style="border: none;">Skin Corr. 1B - H314</td> <td style="border: none;"></td> </tr> <tr> <td style="border: none;">Aquatic Acute 1 - H400</td> <td style="border: none;"></td> </tr> <tr> <td style="border: none;">Aquatic Chronic 1 - H410</td> <td style="border: none;"></td> </tr> </table>	Classification	Classification (67/548/EEC or 1999/45/EC)	Acute Tox. 4 - H302	Xn;R22. C;R34. N;R50.	Skin Corr. 1B - H314		Aquatic Acute 1 - H400		Aquatic Chronic 1 - H410	
Classification	Classification (67/548/EEC or 1999/45/EC)									
Acute Tox. 4 - H302	Xn;R22. C;R34. N;R50.									
Skin Corr. 1B - H314										
Aquatic Acute 1 - H400										
Aquatic Chronic 1 - H410										

Cherry Glaze

Dicocodimethylammonium chloride	0.2-0.5%
CAS number: 61789-77-3 EC number: 263-087-6 REACH registration number: 01-2119486994-16-XXXX	
M factor (Acute) = 1	
Classification Acute Tox. 4 - H302 Skin Corr. 1B - H314 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411	Classification (67/548/EEC or 1999/45/EC) Xn;R22. C;R34. N;R50.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Get medical attention if any discomfort continues.

Ingestion

Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if any discomfort continues.

Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. Use suitable lotion to moisturise skin. Get medical attention if any discomfort continues.

Eye contact

Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General information

The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

Inhalation

No specific symptoms known.

Ingestion

May cause discomfort if swallowed.

Skin contact

Prolonged skin contact may cause redness and irritation.

Eye contact

Prolonged contact may cause redness and/or tearing.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor

No specific recommendations. If in doubt, get medical attention promptly.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards

Oxides of the following substances: Carbon. Nitrogen. No unusual fire or explosion hazards noted.

Hazardous combustion products

Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting

No specific firefighting precautions known.

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

Cherry Glaze

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

For personal protection, see Section 8.

6.2. Environmental precautions

Environmental precautions

Do not discharge into drains or watercourses or onto the ground. To prevent release, place container with damaged side up. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body. Contain spillage with sand, earth or other suitable non-combustible material.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Stop leak if possible without risk. Large Spillages: Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Take care as floors and other surfaces may become slippery. Avoid the spillage or runoff entering drains, sewers or watercourses. Flush away spillage with plenty of water. Wash thoroughly after dealing with a spillage. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible.

6.4. Reference to other sections

Reference to other sections

For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions

Avoid spilling. Avoid contact with skin and eyes. Avoid inhalation of vapours. During application and drying, solvent vapours will be emitted.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions

Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store in closed original container at temperatures between 5°C and 30°C. Keep above the chemical's freezing point to avoid rupturing the container.

Storage class

Chemical storage.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

Long-term exposure limit (8-hour TWA): WEL 1000 mg/m³

Short-term exposure limit (15-minute): WEL

Anhydrous Aluminium Silicate

Long-term exposure limit (8-hour TWA): WEL 2 mg/m³

Distillates (petroleum), hydrotreated light.

Long-term exposure limit (8-hour TWA): WEL 1000 mg/m³

Short-term exposure limit (15-minute): WEL

WEL = Workplace Exposure Limit

Cherry Glaze

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics (CAS: 64742-48-9)

DNEL Industry - Dermal; Long term : 208 mg/kg/day
 Industry - Inhalation; Long term : 871 mg/kg/day
 Consumer - Dermal; Long term : 125 mg/kg/day
 Consumer - Inhalation; Long term : 185 mg/kg/day
 Consumer - Oral; Long term : 125 mg/kg/day

Distillates (petroleum), hydrotreated light. (CAS: 64742-47-8)

DNEL Consumer - Oral; Long term : 19 mg/kg/day

2,2'-(Octadec-9-enylimino)bisethanol (CAS: 25307-17-9)

Ingredient comments

No exposure limits known for ingredient(s).

DNEL Workers - Dermal; Long term systemic effects: 0.25 mg/kg/day
 Workers - Inhalation; Long term systemic effects: 1.76 mg/m³
 Consumer - Dermal; Long term systemic effects: 0.179 mg/kg/day
 Consumer - Inhalation; Long term systemic effects: 0.621 mg/m³
 Consumer - Oral; Long term systemic effects: 0.179 mg/kg/day

PNEC - Fresh water; 0.000214 mg/l
 - Marine water; 0.000021 mg/l
 - STP; 1.5 mg/l
 - Sediment (Freshwater); 1.692 mg/kg
 - Sediment (Marinewater); 0.1692 mg/kg
 - Soil; 5 mg/kg

Dicocodimethylammonium chloride (CAS: 61789-77-3)

Ingredient comments

No exposure limits known for ingredient(s).

DNEL Professional - Dermal; Long term systemic effects: 12.75 mg/kg/day
 Industry - Inhalation; Long term systemic effects: 27 mg/m³
 Consumer - Dermal; Long term systemic effects: 7.65 mg/kg/day
 Consumer - Inhalation; Long term systemic effects: 8 mg/m³
 Consumer - Oral; Long term systemic effects: 2.3 mg/kg/day

PNEC - Fresh water; 0.013 mg/l
 - Marine water; 0.0013 mg/l
 - STP; 1.2
 - Sediment (Freshwater); 8.8 mg/kg
 - Sediment (Marinewater); 0.88 mg/kg
 - Soil; 7 mg/kg

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

No specific ventilation requirements.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. To protect hands from chemicals, gloves should comply with European Standard EN374. It is recommended that gloves are made of the following material: Rubber (natural, latex). Neoprene. Polyvinyl chloride (PVC). Polyvinyl chloride (PVC). It should be noted that liquid may penetrate the gloves. Frequent changes are recommended. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. The breakthrough time for any glove material may be different for different glove manufacturers. Use thin cotton gloves inside the rubber gloves if allergy risk.

Other skin and body protection

Wear appropriate clothing to prevent repeated or prolonged skin contact. Provide eyewash station.

Hygiene measures

Cherry Glaze

Provide eyewash station. Do not smoke in work area. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

Respiratory protection

No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit. If ventilation is inadequate, suitable respiratory protection must be worn. Wear a respirator fitted with the following cartridge: Combination filter, type A2/P3.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance

Viscous liquid. Liquid.

Colour

Pink.

Odour

Pleasant, agreeable.

Odour threshold

Not available. Not available.

pH

pH (concentrated solution): ~ 7.0 pH (diluted solution): ~ 7.0 @ 1%

Melting point

~ 0°C

Initial boiling point and range

~ 100 @°C @ 760 mm Hg

Flash point

> 62°C CC (Closed cup).

Evaporation rate

Not available.

Upper/lower flammability or explosive limits

Not applicable. : :

Vapour pressure

Not applicable.

Vapour density

Not applicable.

Relative density

~ 0.940 @ (20°C)°C

Solubility(ies)

Insoluble in water. Miscible with the following materials: Hydrocarbons.

Partition coefficient

Not available.

Auto-ignition temperature

Not applicable.

Decomposition Temperature

Not available.

Viscosity

~ 5,000 cSt @ 20°C

Oxidising properties

Does not meet the criteria for classification as oxidising.

Comments

Information declared as "Not available" or "Not applicable" is not considered to be relevant to the implementation of the proper control measures.

9.2. Other information

Volatile organic compound

This product contains a maximum VOC content of 228 g/litre.

Cherry Glaze

SECTION 10: Stability and reactivity

10.1. Reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability

No particular stability concerns. Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Not relevant. Will not polymerise.

10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time. Avoid freezing.

10.5. Incompatible materials

Materials to avoid

No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO₂).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Other health effects

There is no evidence that the product can cause cancer. IARC Not Listed. IARC Int. Agency for Cancer Research. NTP Not Listed. OSHA Not Regulated.

Skin corrosion/irritation

Human skin model test

Scientifically unjustified.

Extreme pH

Moderate pH (> 2 and < 11.5). Classification based on Conventional Method, and In Vitro Approaches - Corrosive or Irritant by measuring pH and Acid/Alkali Reserve. Not irritating.

General information

Prolonged and repeated contact with solvents over a long period may lead to permanent health problems.

Inhalation

Vapours may cause headache, fatigue, dizziness and nausea.

Ingestion

May cause discomfort if swallowed.

Skin contact

May cause defatting of the skin but is not an irritant.

Eye contact

Vapour or spray in the eyes may cause irritation and smarting.

Acute and chronic health hazards

Because of the product's quantity and composition, the health hazard is regarded as low. No specific long-term effects known. No specific acute or chronic health impact noted, but this chemical may still have adverse impact on human health, either in general or on certain individuals with pre-existing or latent health problems.

Route of entry

Ingestion. Inhalation

Medical symptoms

No specific symptoms noted, but this chemical may still have adverse health impact, either in general or on certain individuals. Prolonged or repeated exposure may cause the following adverse effects: Dry skin.

Toxicological information on ingredients.

Cherry Glaze

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

Other health effects

There is no evidence that the product can cause cancer.

Acute toxicity - oral

Acute toxicity oral (LD mg/kg)

5,000

Species

Rat

Acute toxicity - dermal

Acute toxicity dermal (LD mg/kg)

5000

Species

Rabbit

Cherry Glaze

Distillates (petroleum), hydrotreated light.

Acute toxicity - oral

Acute toxicity oral (LD mg/kg)

5,000

Species

Rat

Acute toxicity - dermal

Acute toxicity dermal (LD mg/kg)

2000

Species

Rabbit

Skin corrosion/irritation

Animal data

Erythema/eschar score: No erythema (0). Oedema score: No oedema (0). Not irritating.

Human skin model test

Not available.

Serious eye damage/irritation

Not irritating.

Respiratory sensitisation

There is no evidence that the material can lead to respiratory hypersensitivity.

Skin sensitisation

Buehler test: - Guinea pig: Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro

: Negative. This substance has no evidence of mutagenic properties.

Genotoxicity - in vivo

: Negative. This substance has no evidence of mutagenic properties.

Carcinogenicity

There is no evidence that the product can cause cancer.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure

NOAEL 750 mg/kg, Oral, Rat

Inhalation

No specific health hazards known.

Ingestion

Harmful: may cause lung damage if swallowed. Pneumonia may be the result if vomited material containing solvents reaches the lungs.

Skin contact

No specific health hazards known. Not a skin sensitiser.

Eye contact

No specific health hazards known.

Medical symptoms

Skin irritation.

SECTION 12: Ecological Information

Ecotoxicity

The product contains a substance which is very toxic to aquatic organisms.

Cherry Glaze

Ecological information on ingredients.

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

Ecotoxicity

The product is not expected to be toxic to aquatic organisms.

Distillates (petroleum), hydrotreated light.

Ecotoxicity

The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment.

2,2'-(Octadec-9-enylimino)bisethanol

Ecotoxicity

The product contains a substance which is very toxic to aquatic organisms.

12.1. Toxicity

Acute toxicity - fish

Not determined.

Acute toxicity - aquatic invertebrates

Not determined.

Acute toxicity - aquatic plants

Not determined.

Acute toxicity - microorganisms

Not determined.

Acute toxicity - terrestrial

Not determined.

Ecological information on ingredients.

Distillates (petroleum), hydrotreated light.

Acute toxicity - fish

LC , 96 hours: > 2-5 mg/l, Fish

Acute toxicity - aquatic invertebrates

EC , 48 hours: 1.4 mg/l, Daphnia magna

Acute toxicity - aquatic plants

IC , 72 hours: 1-3 mg/l, Algae

2,2'-(Octadec-9-enylimino)bisethanol

Acute aquatic toxicity

LE(C)

$0.01 < L(E)C50 \leq 0.1$

M factor (Acute)

10

Acute toxicity - fish

LC , 96 hours: 0.39 mg/l, Fish

Acute toxicity - aquatic invertebrates

EC , 48 hours: 0.1 mg/l, Daphnia magna

Acute toxicity - aquatic plants

IC , 72 hours: 0.01-0.1 mg/l, Algae

Chronic aquatic toxicity

M factor (Chronic)

1

12.2. Persistence and degradability

Persistence and degradability

The product contains inorganic substances which are not biodegradable. The other substances in the product are slowly biodegradable.

Cherry Glaze

Ecological information on ingredients.

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

Persistence and degradability

Volatile substances are degraded in the atmosphere within a few days.

Distillates (petroleum), hydrotreated light.

Persistence and degradability

Volatile substances are degraded in the atmosphere within a few days.

2,2'-(Octadec-9-enylimino)bisethanol

Persistence and degradability

The product is readily biodegradable.

12.3. Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating.

Partition coefficient

Not available.

Ecological information on ingredients.

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

The product does not contain any substances expected to be bioaccumulating.

Distillates (petroleum), hydrotreated light.

Bioaccumulation is unlikely to be significant because of the low water-solubility of this product.

2,2'-(Octadec-9-enylimino)bisethanol

No data available on bioaccumulation.

12.4. Mobility in soil

Mobility

The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces. The product is partly miscible with water and may spread in the aquatic environment.

Ecological information on ingredients.

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

Mobility

The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.

Distillates (petroleum), hydrotreated light.

Mobility

The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces. The product is insoluble in water and will spread on the water surface.

Henry's law constant

Not available.

12.5. Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

Ecological information on ingredients.

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

This substance is not classified as PBT or vPvB according to current EU criteria.

Distillates (petroleum), hydrotreated light.

This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Not applicable.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information

The packaging must be empty (drop-free when inverted).

Cherry Glaze

Disposal methods

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
Packaging: Reuse or recycle products wherever possible.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

UN No. (IMDG)

UN No. (ICAO)

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not applicable.

ADR/RID class

ADR/RID subsidiary risk

ADR/RID label

IMDG class

IMDG subsidiary risk

ICAO class/division

ICAO subsidiary risk

Transport labels

14.4. Packing group

Not applicable.

ADR/RID packing group

IMDG packing group

ICAO packing group

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

EmS

Emergency Action Code

Hazard Identification Number
(ADR/RID)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Dangerous Preparations Directive 1999/45/EC. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Cherry Glaze

Guidance

Workplace Exposure Limits EH40. Safety Data Sheets for Substances and Preparations.

Water hazard classification

WGK 1

Occupational Air Requirement

OAR Group: 2

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information

This product has been manufactured under ISO 9001 and ISO 14001 Quality and Environmental Management Systems. Only trained personnel should use this material.

Revision comments

NOTE: Lines within the margin indicate significant changes from the previous revision.

Issued by Prepared by Autosmart International Ltd, Lynn Lane, Shenstone, Lichfield, Staffordshire, WS14 0DH, Great Britain.
www.autosmartinternational.com
rbutler@autosmart.co.uk
Tel +44 (0)1543 481616

Revision date 23/02/2015

Revision 1

Supersedes date 01/10/2013

SDS status Approved.

Risk phrases in full

NC Not classified.
R10 Flammable.
R22 Harmful if swallowed.
R34 Causes burns.
R50 Very toxic to aquatic organisms.
R65 Harmful: may cause lung damage if swallowed.
R66 Repeated exposure may cause skin dryness or cracking.
R67 Vapours may cause drowsiness and dizziness.

Hazard statements in full

H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H314 Causes severe skin burns and eye damage.
H336 May cause drowsiness or dizziness.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.