



SAFETY DATA SHEET

Highfoam Plus

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Highfoam Plus
Product number 263-1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent. - Traffic Film Remover
Uses advised against For professional use only. This product is not recommended for any industrial, professional or consumer use other than the Identified uses above.

1.3. Details of the supplier of the safety data sheet

Supplier Autosmart International Ltd
Lynn Lane,
Shenstone, nr Lichfield
Staffordshire. WS14 0DH
England
www.autosmartinternational.com
Tel: +44 (0) 1543 481616 (09:00 - 17:00)
Fax: +44 (0) 1543 481549 (09:00 - 17:00)
info@autosmartinternational.com

Contact person Mr. Russell Butler

Manufacturer

1.4. Emergency telephone number

Emergency telephone Mob: +44 (0) 7808 971321 (24hrs) Tel: +44 (0) 1543 481616 (09:00 - 17:00) Fax: +44 (0) 1543 481549 (09:00 - 17:00) If you urgently need medical help or advice but it's not a life-threatening situation, call 111 free from any phone to speak to an NHS adviser. The 24-hour NHS 111 service can give you healthcare advice or direct you to the local service that can help you best. If NHS 111 does not yet cover your area, you can call NHS Direct in England or Wales on 08 45 46 47* or NHS 24 in Scotland on 0845 24 24 24* (UK Only) The NHS 111 service will also be available via the harmonised European number for medical advice 116 117* Calls to 084 numbers are charged at a higher rate than standard calls on BT's most popular call plan (BT Unlimited Weekend). Mobile and other providers costs will vary and you should check the costs of calls with your provider

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards

Not Classified

Health hazards

Skin Irrit. 2 - H315 Eye Dam. 1 - H318

Environmental hazards

Not Classified

Classification (67/548/EEC or 1999/45/EC)

Xi;R36.

2.2. Label elements

Highfoam Plus

Pictogram



Signal word Danger

Hazard statements

H315 Causes skin irritation.
H318 Causes serious eye damage.

Precautionary statements

P264 Wash contaminated skin thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 IF ON SKIN: Wash with plenty of water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P362+P364 Take off contaminated clothing and wash it before reuse.

Contains

DISODIUM METASILICATE, Alcohols C9-11, ethoxylated, β -Alanine, N-coco alkyl derivs., sodium salts, Betaines, C12-14-Alkyldimethyl

Detergent labelling

< 5% NTA (nitrilotriacetic acid) and salts thereof, < 5% amphoteric surfactants, < 5% amphoteric surfactants, < 5% non-ionic surfactants

Supplementary precautionary statements

P332+P313 If skin irritation occurs: Get medical advice/attention.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

2-(2-BUTOXYETHOXY)ETHANOL CAS number: 112-34-5 EC number: 203-961-6 REACH registration number: 01-2119475104-44-XXXX Substance with a Community workplace exposure limit.	2-5%
Classification Eye Irrit. 2 - H319	Classification (67/548/EEC or 1999/45/EC) Xi;R36
Trisodium Nitrilotriacetate CAS number: 5064-31-3 EC number: 225-768-6 REACH registration number: 01-2119519239-36-xxxx	2-5%
Classification Acute Tox. 4 - H302 Eye Irrit. 2 - H319 Carc. 2 - H351	Classification (67/548/EEC or 1999/45/EC) Carc. Cat. 3;R40 Xn;R22 Xi;R36
DISODIUM METASILICATE CAS number: 6834-92-0 EC number: 229-912-9	2-5%
Classification Met. Corr. 1 - H290 Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335	Classification (67/548/EEC or 1999/45/EC) C;R34 Xi;R37
Alcohols C9-11, ethoxylated CAS number: 68439-46-3 EC number: –	1-2%
Classification Eye Dam. 1 - H318	Classification (67/548/EEC or 1999/45/EC) Xi;R41.

Highfoam Plus

β-Alanine, N-coco alkyl derivs., sodium salts		1-2%
CAS number: 68608-68-4 EC number: 271-795-1		
Classification	Classification (67/548/EEC or 1999/45/EC)	
Eye Dam. 1 - H318	Xi;R36.	
Betaines, C12-14-Alkyldimethyl		1-2%
CAS number: 66455-29-6 EC number: 266-368-1		
Classification	Classification (67/548/EEC or 1999/45/EC)	
Skin Irrit. 2 - H315 Eye Dam. 1 - H318	Xi;R36,R38.	
Sodium Acrylate		0.1-0.2%
CAS number: 7446-81-3 EC number: 231-209-7 M factor (Acute) = 1		
Classification	Classification (67/548/EEC or 1999/45/EC)	
Aquatic Acute 1 - H400		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

Ingestion

Remove affected person from source of contamination. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention if any discomfort continues.

Skin contact

Remove affected person from source of contamination. Remove contaminated clothing. Rinse immediately with plenty of water. Use suitable lotion to moisturise skin. Get medical attention if any discomfort continues.

Eye contact

Remove any contact lenses and open eyelids wide apart. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General information

The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

Inhalation

No specific symptoms known.

Ingestion

May cause discomfort if swallowed. May cause stomach pain or vomiting.

Skin contact

Prolonged skin contact may cause redness and irritation.

Eye contact

Irritation of eyes and mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor

No specific recommendations. If in doubt, get medical attention promptly.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Highfoam Plus

Specific hazards

The product is non-combustible. Irritating gases or vapours. Thermal decomposition or combustion products may include the following substances: Acrid smoke or fumes. Oxides of the following substances: Carbon. Nitrogen. No unusual fire or explosion hazards noted.

Hazardous combustion products

Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting

Avoid breathing fire gases or vapours. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective equipment for firefighters

Use air-supplied respirator, gloves and protective goggles. Use protective equipment appropriate for surrounding materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

For personal protection, see Section 8.

6.2. Environmental precautions

Environmental precautions

Do not discharge into drains or watercourses or onto the ground. To prevent release, place container with damaged side up. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Stop leak if possible without risk. Dike far ahead of larger spills for later disposal. Absorb in vermiculite, dry sand or earth and place into containers. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Flush contaminated area with plenty of water. Take care as floors and other surfaces may become slippery. Flush contaminated area with plenty of water. The requirements of the local water authority must be complied with if contaminated water is flushed directly to the sewer. Wash thoroughly after dealing with a spillage.

6.4. Reference to other sections

Reference to other sections

For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions

Avoid spilling. Avoid contact with skin and eyes. Good personal hygiene procedures should be implemented.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions

Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container. Keep above the chemical's freezing point to avoid rupturing the container. Store in closed original container at temperatures between 5°C and 30°C.

Storage class

Chemical storage.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

Highfoam Plus

2-(2-BUTOXYETHOXY)ETHANOL

Long-term exposure limit (8-hour TWA): WEL 10 ppm 67.5 mg/m3
Short-term exposure limit (15-minute): WEL 15 ppm 101.2 mg/m3

DISODIUM METASILICATE

Short-term exposure limit (15-minute): WEL 2 mg/m3

WEL = Workplace Exposure Limit

2-(2-BUTOXYETHOXY)ETHANOL (CAS: 112-34-5)

DNEL	Industry - Inhalation; : 101.2 mg/m ³ Industry - Dermal; : 20 mg/kg/day Consumer - Inhalation; : mg/m ³ Consumer - Dermal; : 10 mg/kg/day Consumer - Oral; : 1.25 mg/kg/day
PNEC	- Fresh water; 1 mg/l - Marine water; 0.1 mg/l - Sediment (Freshwater); 4 mg/kg - Sediment (Marinewater); 0.4 mg/kg - Soil; 0.4 mg/kg

Trisodium Nitrotriacetate (CAS: 5064-31-3)

Ingredient comments

No exposure limits known for ingredient(s).

DNEL	Industry - Inhalation; Short term : 5.25 mg/m3 Industry - Inhalation; Long term : 3.5 mg/m3 Consumer - Inhalation; Short term : 1.75 mg/m3 Consumer - Inhalation; Long term : 0.5 mg/kg/day
PNEC	- Fresh water; 0.93 mg/l - Marine water; 0.093 mg/l - STP; 540 mg/l - Sediment; 3.64 mg/kg - Soil; 0.182 mg/kg

β-Alanine, N-coco alkyl derivs., sodium salts (CAS: 68608-68-4)

Ingredient comments

No exposure limits known for ingredient(s).

Betaines, C12-14-Alkyldimethyl (CAS: 66455-29-6)

Ingredient comments

No exposure limits known for ingredient(s).

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

No specific ventilation requirements. This product must not be handled in a confined space without adequate ventilation.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. Wear protective gloves made of the following material: Polyvinyl chloride (PVC). Rubber (natural, latex). It is recommended that gloves are made of the following material: Nitrile rubber. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact. Provide eyewash station. Wear apron or protective clothing in case of contact.

Hygiene measures

Highfoam Plus

Provide eyewash station. Do not smoke in work area. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Wash contaminated clothing before reuse. When using do not eat, drink or smoke.

Respiratory protection

No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit. If ventilation is inadequate, suitable respiratory protection must be worn. Wear a respirator fitted with the following cartridge: Combination filter, type A2/P3.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance

Liquid.

Colour

Light (or pale). Straw.

Odour

Mild.

Odour threshold

Not available. Not available.

pH

pH (concentrated solution): ~ 12.7 pH (diluted solution): ~ 10.0 @ 1%

Melting point

~ 0°C

Initial boiling point and range

~ 100 @°C @ 760 mm Hg

Flash point

°C Does not flash. Not applicable.

Evaporation rate

Not available.

Upper/lower flammability or explosive limits

Not applicable. : :

Vapour pressure

Not applicable.

Vapour density

Not applicable.

Relative density

~ 1.042 @ (20°C)°C

Solubility(ies)

Soluble in water. Miscible with water.

Partition coefficient

: < 0

Auto-ignition temperature

Not applicable.

Decomposition Temperature

Not available.

Viscosity

~ 1 cSt @ °C

Oxidising properties

Does not meet the criteria for classification as oxidising.

Comments

Information declared as "Not available" or "Not applicable" is not considered to be relevant to the implementation of the proper control measures.

9.2. Other information

Volatile organic compound

This product contains a maximum VOC content of 0 g/litre.

Highfoam Plus

SECTION 10: Stability and reactivity

10.1. Reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability

Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Not applicable. Will not polymerise.

10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid

Strong acids. Strong oxidising agents.

10.6. Hazardous decomposition products

No specific hazardous decomposition products noted.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg)

16,447.36842105

Skin corrosion/irritation

Human skin model test

Scientifically unjustified.

Extreme pH

= 11.5 Classification based on Conventional Method, and In Vitro Approaches - Corrosive or Irritant by measuring pH and Acid/Alkali Reserve. Non Corrosive to skin.

General information

This product has low toxicity. Only large quantities are likely to have adverse effects on human health.

Inhalation

May cause respiratory system irritation.

Ingestion

May cause discomfort if swallowed.

Skin contact

Prolonged and frequent contact may cause redness and irritation.

Eye contact

Irritation of eyes and mucous membranes.

Route of entry

Ingestion. Skin and/or eye contact

Target organs

No specific target organs known.

Medical symptoms

No specific symptoms noted, but this chemical may still have adverse health impact, either in general or on certain individuals.

Medical considerations

Skin disorders and allergies.

Highfoam Plus

Toxicological information on ingredients.

2-(2-BUTOXYETHOXY)ETHANOL

Other health effects

There is no evidence that the product can cause cancer.

Trisodium Nitriiotriacetate

Toxicological effects

Nitriiotriacetic acid, trisodium salt (NTA) has caused kidney tumours in rats and mice when administered orally in high concentrations. The tumours are based on organ damage that can only occur when extremely high threshold limit concentrations, as compared with possible human exposure, are exceeded. In view of the potential degree of exposure, there should be no cancer risk to humans.

Other health effects

Possible cancer hazard (contains material which) may cause cancer based on animal data.

Carcinogenicity

Limited evidence of a carcinogenic effect.

DISODIUM METASILICATE

Acute toxicity - oral

Acute toxicity oral (LD50 mg/kg)

847

Species

Rat

β -Alanine, N-coco alkyl derivs., sodium salts

Other health effects

There is no evidence that the product can cause cancer.

Acute toxicity - oral

Acute toxicity oral (LD50 mg/kg)

5,000

Species

Rat

Betaines, C12-14-Alkyldimethyl

Other health effects

There is no evidence that the product can cause cancer.

SECTION 12: Ecological Information

Ecotoxicity

The product is not expected to be hazardous to the environment. The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment. The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms. The product is not expected to be hazardous to wastewater treatment processes. The product does not contain organic complexing agents with a DOC level of degradation of < 80% after 28 days. The product does not contain organically bound halogen.

Highfoam Plus

Ecological information on ingredients.

2-(2-BUTOXYETHOXY)ETHANOL

Ecotoxicity

The product is not expected to be toxic to aquatic organisms.

DISODIUM METASILICATE

Ecotoxicity

The product is not expected to be toxic to aquatic organisms.

β -Alanine, N-coco alkyl derivs., sodium salts

Ecotoxicity

The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment.

Betaines, C12-14-Alkyldimethyl

Ecotoxicity

The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment.

12.1. Toxicity

Acute toxicity - fish

Not determined.

Acute toxicity - aquatic invertebrates

Not determined.

Acute toxicity - aquatic plants

Not determined.

Acute toxicity - microorganisms

Not determined.

Acute toxicity - terrestrial

Not determined.

Ecological information on ingredients.

Trisodium Nitrilotriacetate

Acute toxicity - fish

LC , 96 hours: 114-470 mg/l, Fish

Acute toxicity - aquatic invertebrates

EC , 48 hours: 560-1,000 mg/l, Daphnia magna

Acute toxicity - aquatic plants

IC , 72 hours: 180-320 mg/l, Algae

DISODIUM METASILICATE

Acute toxicity - fish

LC , 96 hours: 3185 mg/l, Fish

Acute toxicity - aquatic invertebrates

EC , 48 hours: 4857 mg/l, Daphnia magna

Alcohols C9-11, ethoxylated

Acute toxicity - fish

LC , 96 hours: 1-10 mg/l, Fish

Acute toxicity - aquatic invertebrates

EC , 48 hours: 1-10 mg/l, Daphnia magna

β -Alanine, N-coco alkyl derivs., sodium salts

Acute toxicity - fish

NOEC, : 10.7 mg/l, Onchorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic invertebrates

EC , : 97.5 mg/l, Daphnia magna

Acute toxicity - aquatic plants

EC , 72 hours: 31 mg/l, Marinewater algae

12.2. Persistence and degradability

Highfoam Plus

Persistence and degradability

The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer. The product is biodegradable but it must not be discharged into drains without permission from the authorities.

Ecological information on ingredients.

2-(2-BUTOXYETHOXY)ETHANOL

Persistence and degradability

The product is biodegradable.

Trisodium Nitilotriacetate

Persistence and degradability

The product is biodegradable.

DISODIUM METASILICATE

Persistence and degradability

The product is biodegradable.

Alcohols C9-11, ethoxylated

Persistence and degradability

This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

β-Alanine, N-coco alkyl derivs., sodium salts

Persistence and degradability

The product is biodegradable.

Betaines, C12-14-Alkyldimethyl

Persistence and degradability

The product is biodegradable.

12.3. Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating.

Partition coefficient

: < 0

Ecological information on ingredients.

2-(2-BUTOXYETHOXY)ETHANOL

The product does not contain any substances expected to be bioaccumulating.

Trisodium Nitilotriacetate

The product does not contain any substances expected to be bioaccumulating.

DISODIUM METASILICATE

The product is not bioaccumulating.

Alcohols C9-11, ethoxylated

The product does not contain any substances expected to be bioaccumulating.

β-Alanine, N-coco alkyl derivs., sodium salts

The product is not bioaccumulating.

Betaines, C12-14-Alkyldimethyl

The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility

The product is soluble in water.

Highfoam Plus

Ecological information on ingredients.

Trisodium Nitilotriacetate

Mobility

The product is soluble in water.

DISODIUM METASILICATE

Mobility

The product is soluble in water.

Alcohols C9-11, ethoxylated

Mobility

The product is soluble in water.

β-Alanine, N-coco alkyl derivs., sodium salts

Mobility

The product is soluble in water.

Betaines, C12-14-Alkyldimethyl

Mobility

The product is soluble in water.

12.5. Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

Ecological information on ingredients.

Trisodium Nitilotriacetate

This substance is not classified as PBT or vPvB according to current EU criteria.

Alcohols C9-11, ethoxylated

This product does not contain any substances classified as PBT or vPvB.

Betaines, C12-14-Alkyldimethyl

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Not applicable.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information

The packaging must be empty (drop-free when inverted).

Disposal methods

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Discharge of small quantities to the sewer with plenty of water may be permitted. The requirements of the local water authority must be complied with if contaminated water is flushed directly to the sewer. Larger quantities should be treated in a suitable plant or disposed of via a licensed waste disposal contractor. Packaging: Reuse or recycle products wherever possible.

SECTION 14: Transport information

General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
Road transport notes	Not classified.
Rail transport notes	Not classified.
Sea transport notes	Not classified.

14.1. UN number

Not applicable.

UN No. (IMDG)

UN No. (ICAO)

14.2. UN proper shipping name

Not applicable.

Highfoam Plus

14.3. Transport hazard class(es)

Not applicable.

ADR/RID class

ADR/RID subsidiary risk

ADR/RID label

IMDG class

IMDG subsidiary risk

ICAO class/division

ICAO subsidiary risk

Transport labels

14.4. Packing group

Not applicable.

ADR/RID packing group

IMDG packing group

ICAO packing group

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

EmS

Emergency Action Code

Hazard Identification Number
(ADR/RID)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and Directive 91/689/EEC on hazardous waste with amendments.

EU legislation

Dangerous Preparations Directive 1999/45/EC. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Guidance

Workplace Exposure Limits EH40. Safety Data Sheets for Substances and Preparations.

Health and environmental listings

Regulation (EC) 689/2008 of the European Parliament and of the Council of 17 June 2008 concerning the export and import of dangerous chemicals (as amended).

Water hazard classification

WGK 2

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Highfoam Plus

General information

Only trained personnel should use this material. This product has been manufactured under ISO 9001 and ISO 14001 Quality and Environmental Management Systems.

Revision comments

NOTE: Lines within the margin indicate significant changes from the previous revision.

Issued by Prepared by Autosmart International Ltd, Lynn Lane, Shenstone, Lichfield, Staffordshire, WS14 0DH, Great Britain. www.autosmartinternational.com
butler@autosmart.co.uk
Tel +44 (0)1543 481616

Revision date 05/11/2014

Revision 3

Supersedes date 08/05/2013

SDS status Approved.

Risk phrases in full

R22 Harmful if swallowed.
R34 Causes burns.
R36 Irritating to eyes.
R37 Irritating to respiratory system.
R38 Irritating to skin.
R40 Limited evidence of a carcinogenic effect.
R41 Risk of serious damage to eyes.

Hazard statements in full

H290 May be corrosive to metals.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H351 Suspected of causing cancer if swallowed.
H400 Very toxic to aquatic life.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.