



## SAFETY DATA SHEET

### Leather Supplement

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

**Product name** Leather Supplement

**Chemical name**

**Product number** 910-8

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Leather Conditioner

**Uses advised against** This product is not recommended for any industrial, professional or consumer use other than the Identified uses above.

##### 1.3. Details of the supplier of the safety data sheet

**Supplier** Autosmart International Ltd  
Lynn Lane,  
Shenstone, nr Lichfield  
Staffordshire. WS14 0DH  
England  
www.autosmartinternational.com  
Tel: +44 (0) 1543 481616 (09:00 - 17:00)  
Fax: +44 (0) 1543 481549 (09:00 - 17:00)  
info@autosmartinternational.com

**Contact person** Mr. Russell Butler

**Manufacturer**

##### 1.4. Emergency telephone number

**Emergency telephone** Mob: +44 (0) 7808 971321 (24hrs)  
Tel: +44 (0) 1543 481616 (09:00 - 17:00)  
Fax: +44 (0) 1543 481549 (09:00 - 17:00)

If you urgently need medical help or advice but it's not a life-threatening situation, call 111 free from any phone to speak to an NHS adviser. The 24-hour NHS 111 service can give you healthcare advice or direct you to the local service that can help you best.

The NHS 111 service will also be available via the harmonised European number for medical advice 116 117

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification

###### Physical hazards

Not Classified

###### Health hazards

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Elicitation (Skin Sens.)

###### Environmental hazards

Not Classified

Classification (67/548/EEC or 1999/45/EC)

##### 2.2. Label elements

Pictogram

## Leather Supplement



### Signal word

Warning

### Hazard statements

H315 Causes skin irritation.  
 H319 Causes serious eye irritation.  
 EUH208 Contains Reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

### Precautionary statements

P280 Wear protective gloves.  
 P264 Wash contaminated skin thoroughly after handling.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P332+P313 If skin irritation occurs: Get medical advice/attention.  
 P337+P313 If eye irritation persists: Get medical advice/attention.

### Supplementary precautionary statements

P302+P352 IF ON SKIN: Wash with plenty of water.

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

<b>Oleic Acid</b>	<b>10-15%</b>
CAS number: 112-80-1 EC number: 266-932-7 REACH registration number: EXEMPT - ANNEX V	
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>
Skin Irrit. 2 - H315	Xi;R36/38.
Eye Irrit. 2 - H319	
<b>Reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)</b>	<b>&lt;0.01%</b>
CAS number: 55965-84-9 EC number: –	
M factor (Acute) = 1 M factor (Chronic) = 10	
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>
Acute Tox. 3 - H301	T;R23/24/25 C;R34 R43 N;R50/53
Acute Tox. 3 - H311	
Acute Tox. 3 - H331	
Skin Corr. 1B - H314	
Eye Dam. 1 - H318	
Skin Sens. 1 - H317	
Aquatic Acute 1 - H400	
Aquatic Chronic 1 - H410	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Inhalation

Get medical attention if any discomfort continues.

#### Ingestion

Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention if any discomfort continues.

#### Skin contact

Remove contaminated clothing. Rinse with water. Use suitable lotion to moisturise skin. Get medical attention if any discomfort continues.

## Leather Supplement

### Eye contact

Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Continue to rinse for at least 15 minutes. Remove any contact lenses and open eyelids wide apart. Get medical attention if any discomfort continues.

### 4.2. Most important symptoms and effects, both acute and delayed

#### General information

The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

#### Inhalation

No specific symptoms known.

#### Ingestion

May cause discomfort if swallowed.

#### Skin contact

Prolonged skin contact may cause redness and irritation.

#### Eye contact

Prolonged contact may cause redness and/or tearing.

### 4.3. Indication of any immediate medical attention and special treatment needed

#### Notes for the doctor

No specific recommendations. If in doubt, get medical attention promptly.

---

## SECTION 5: Firefighting measures

---

### 5.1. Extinguishing media

#### Suitable extinguishing media

The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

### 5.2. Special hazards arising from the substance or mixture

#### Specific hazards

Oxides of the following substances: Carbon. Nitrogen. No unusual fire or explosion hazards noted.

#### Hazardous combustion products

Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

### 5.3. Advice for firefighters

#### Protective actions during firefighting

No specific firefighting precautions known.

#### Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

---

## SECTION 6: Accidental release measures

---

### 6.1. Personal precautions, protective equipment and emergency procedures

#### Personal precautions

For personal protection, see Section 8.

### 6.2. Environmental precautions

#### Environmental precautions

Do not discharge into drains or watercourses or onto the ground. To prevent release, place container with damaged side up. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body. Contain spillage with sand, earth or other suitable non-combustible material.

### 6.3. Methods and material for containment and cleaning up

#### Methods for cleaning up

Stop leak if possible without risk. Large Spillages: Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Take care as floors and other surfaces may become slippery. Avoid the spillage or runoff entering drains, sewers or watercourses. Flush away spillage with plenty of water. Wash thoroughly after dealing with a spillage. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible.

### 6.4. Reference to other sections

#### Reference to other sections

For personal protection, see Section 8. For waste disposal, see Section 13.

---

## SECTION 7: Handling and storage

---

### 7.1. Precautions for safe handling

## Leather Supplement

### Usage precautions

Read and follow manufacturer's recommendations. Avoid spilling. Avoid contact with skin and eyes.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Storage precautions

Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store in closed original container at temperatures between 5°C and 30°C. Keep above the chemical's freezing point to avoid rupturing the container.

#### Storage class

Chemical storage.

### 7.3. Specific end use(s)

#### Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

#### Ingredient comments

No exposure limits known for ingredient(s).

#### Oleic Acid (CAS: 112-80-1)

#### Ingredient comments

No exposure limits known for ingredient(s).

#### Sodium Lauryl Sulphate (CAS: 85586-07-8)

DNEL

Workers - Dermal; Long term : 4060 mg/kg/day  
Workers - Inhalation; Long term : 285 mg/m<sup>3</sup>  
Consumer - Oral; Long term : 24 mg/kg/day  
Consumer - Dermal; Long term : 2440 mg/kg/day  
Consumer - Inhalation; Long term : 85 mg/m<sup>3</sup>

PNEC

- Fresh water; 0.102 mg/l  
- Marine water; 0.01 mg/l  
- Intermittent release; 0.036 mg/l  
- Sediment (Freshwater); 3.58 mg/kg  
- Marine water; 0.358 mg/kg  
- Soil; 0.654 mg/kg  
- STP; 1084 g/l

### 8.2. Exposure controls

#### Protective equipment



#### Appropriate engineering controls

No specific ventilation requirements.

#### Eye/face protection

Not relevant.

#### Hand protection

Gloves are recommended for prolonged use. It is recommended that gloves are made of the following material: Nitrile rubber. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended.

#### Other skin and body protection

Wear appropriate clothing to prevent repeated or prolonged skin contact. Provide eyewash station.

#### Hygiene measures

Provide eyewash station. Do not smoke in work area. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

#### Respiratory protection

Respiratory protection not required.

## SECTION 9: Physical and Chemical Properties

## Leather Supplement

### 9.1. Information on basic physical and chemical properties

**Appearance**

Viscous liquid. Liquid.

**Colour**

White.

**Odour**

Mild (or faint).

**Odour threshold**

Not available. Not available.

**pH**

pH (concentrated solution): ~ 8.0 Not applicable.

**Melting point**

~ 0°C

**Initial boiling point and range**

~ 100 @°C @ 760 mm Hg

**Flash point**

Not applicable.

**Evaporation rate**

Not available.

**Upper/lower flammability or explosive limits**

Not applicable. : :

**Vapour pressure**

Not applicable.

**Vapour density**

Not applicable.

**Relative density**

~ 0.950 @ (20°C)°C

**Solubility(ies)**

Miscible with water.

**Partition coefficient**

Not available.

**Auto-ignition temperature**

Not applicable.

**Decomposition Temperature**

Not available.

**Viscosity**

~ 30,000 cSt @ 20°C

**Oxidising properties**

Does not meet the criteria for classification as oxidising.

**Comments**

Information declared as "Not available" or "Not applicable" is not considered to be relevant to the implementation of the proper control measures.

### 9.2. Other information

**Volatile organic compound**

This product contains a maximum VOC content of 0 g/litre.

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

There are no known reactivity hazards associated with this product.

### 10.2. Chemical stability

**Stability**

No particular stability concerns. Stable at normal ambient temperatures and when used as recommended.

### 10.3. Possibility of hazardous reactions

## Leather Supplement

Not relevant. Will not polymerise.

### **10.4. Conditions to avoid**

Avoid excessive heat for prolonged periods of time. Avoid freezing.

### **10.5. Incompatible materials**

#### **Materials to avoid**

No specific material or group of materials is likely to react with the product to produce a hazardous situation.

### **10.6. Hazardous decomposition products**

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## **SECTION 11: Toxicological information**

### **11.1. Information on toxicological effects**

#### **Other health effects**

There is no evidence that the product can cause cancer. IARC Not Listed. IARC Int. Agency for Cancer Research. NTP Not Listed. OSHA Not Regulated.

#### **Skin corrosion/irritation**

##### **Human skin model test**

Scientifically unjustified.

#### **Extreme pH**

Moderate pH (> 2 and < 11.5). Classification based on Conventional Method, and In Vitro Approaches - Corrosive or Irritant by measuring pH and Acid/Alkali Reserve. Not irritating.

#### **General information**

This product has low toxicity. Only large quantities are likely to have adverse effects on human health.

#### **Inhalation**

No specific health hazards known.

#### **Ingestion**

May cause discomfort if swallowed.

#### **Skin contact**

No specific health hazards known.

#### **Eye contact**

No specific health hazards known.

#### **Acute and chronic health hazards**

Because of the product's quantity and composition, the health hazard is regarded as low. No specific long-term effects known. No specific acute or chronic health impact noted, but this chemical may still have adverse impact on human health, either in general or on certain individuals with pre-existing or latent health problems.

#### **Route of entry**

Ingestion.

#### **Medical symptoms**

No specific symptoms noted, but this chemical may still have adverse health impact, either in general or on certain individuals.

## **SECTION 12: Ecological Information**

### **Ecotoxicity**

Not regarded as dangerous for the environment. The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment. The product is not expected to be hazardous to wastewater treatment processes. The product does not contain organically bound halogen. The product does not contain organic complexing agents with a DOC level of degradation of < 80% after 28 days.

### **12.1. Toxicity**

#### **Acute toxicity - fish**

LC<sub>50</sub>, 96 hours: mg/l, Fish

#### **Acute toxicity - aquatic invertebrates**

EC<sub>50</sub>, 48 hours: mg/l, Daphnia magna

#### **Acute toxicity - aquatic plants**

Not determined.

#### **Acute toxicity - microorganisms**

Not determined.

## Leather Supplement

### Acute toxicity - terrestrial

Not determined.

### 12.2. Persistence and degradability

#### Persistence and degradability

The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer. The product is biodegradable but it must not be discharged into drains without permission from the authorities.

### 12.3. Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating.

#### Partition coefficient

Not available.

### 12.4. Mobility in soil

#### Mobility

The product is soluble in water.

### 12.5. Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

Not applicable.

---

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### General information

The packaging must be empty (drop-free when inverted).

#### Disposal methods

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.  
Packaging: Reuse or recycle products wherever possible.

---

## SECTION 14: Transport information

### General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

### 14.1. UN number

Not applicable.

#### UN No. (IMDG)

#### UN No. (ICAO)

### 14.2. UN proper shipping name

Not applicable.

### 14.3. Transport hazard class(es)

Not applicable.

#### ADR/RID class

#### ADR/RID subsidiary risk

#### ADR/RID label

#### IMDG class

#### IMDG subsidiary risk

#### ICAO class/division

#### ICAO subsidiary risk

#### Transport labels

### 14.4. Packing group

## Leather Supplement

Not applicable.

**ADR/RID packing group**

**IMDG packing group**

**ICAO packing group**

### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**

No.

### 14.6. Special precautions for user

Not applicable.

**EmS**

**Emergency Action Code**

**Hazard Identification Number  
(ADR/RID)**

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU legislation**

Dangerous Preparations Directive 1999/45/EC. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

#### **Guidance**

Workplace Exposure Limits EH40. Safety Data Sheets for Substances and Preparations.

#### **Water hazard classification**

WGK 1

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## **SECTION 16: Other information**

#### **General information**

This product has been manufactured under ISO 9001 and ISO 14001 Quality and Environmental Management Systems. Only trained personnel should use this material.

#### **Revision comments**

NOTE: Lines within the margin indicate significant changes from the previous revision.

<b>Issued by</b>	Prepared by Autosmart International Ltd, Lynn Lane, Shenstone, Lichfield, Staffordshire, WS14 0DH, Great Britain. www.autosmartinternational.com rbutler@autosmart.co.uk Tel +44 (0)1543 481616
<b>Revision date</b>	06/03/2015
<b>Revision</b>	1
<b>Supersedes date</b>	23/05/2013
<b>SDS status</b>	Approved.
<b>Risk phrases in full</b>	NC Not classified. R36/38 Irritating to eyes and skin.
<b>Hazard statements in full</b>	



### Leather Supplement

H226 Flammable liquid and vapour.  
H301 Toxic if swallowed.  
H302 Harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H311 Toxic in contact with skin.  
H312 Harmful in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H331 Toxic if inhaled.  
H332 Harmful if inhaled.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H411 Toxic to aquatic life with long lasting effects.  
EUH208 Contains Reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

#### Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.