



## SAFETY DATA SHEET

### Active XLS NTA Free

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

**Product name** Active XLS NTA Free

**Product number** 222-2

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Car maintenance product. - Traffic Film Remover

**Uses advised against** For professional use only. This product is not recommended for any industrial, professional or consumer use other than the Identified uses above.

##### 1.3. Details of the supplier of the safety data sheet

**Supplier** Autosmart International Ltd  
Lynn Lane,  
Shenstone, nr Lichfield  
Staffordshire. WS14 0DH  
England  
www.autosmartinternational.com  
Tel: +44 (0) 1543 481616 (09:00 - 17:00)  
Fax: +44 (0) 1543 481549 (09:00 - 17:00)  
info@autosmartinternational.com

**Contact person** Mr. Russell Butler

##### 1.4. Emergency telephone number

**Emergency telephone** Mob: +44 (0) 7808 971321 (24hrs)  
Tel: +44 (0) 1543 481616 (09:00 - 17:00)  
Fax: +44 (0) 1543 481549 (09:00 - 17:00)

If you urgently need medical help or advice but it's not a life-threatening situation, call 111 free from any phone to speak to an NHS adviser. The 24-hour NHS 111 service can give you healthcare advice or direct you to the local service that can help you best.

The NHS 111 service will also be available via the harmonised European number for medical advice 116 117

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification

**Physical hazards** Not Classified

**Health hazards** Skin Corr. 1C - H314 Eye Dam. 1 - H318

**Environmental hazards** Not Classified

## Active XLS NTA Free

**Classification (67/548/EEC or 1999/45/EC)** Xi;R38,R41.

### 2.2. Label elements

#### Pictogram



<b>Signal word</b>	Danger
<b>Hazard statements</b>	H314 Causes severe skin burns and eye damage.
<b>Precautionary statements</b>	P264 Wash contaminated skin thoroughly after handling. P280 Wear protective gloves. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash it before reuse.
<b>Contains</b>	C9-C11 Alcohol ethoxylate (6), SODIUM HYDROXIDE
<b>Detergent labelling</b>	< 5% amphoteric surfactants, < 5% non-ionic surfactants
<b>Supplementary precautionary statements</b>	P332+P313 If skin irritation occurs: Get medical advice/attention. P390 Absorb spillage to prevent material damage.

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

<b>C9-C11 Alcohol ethoxylate (6)</b>	<b>1-2%</b>
CAS number: 68439-46-3	REACH registration number: Polymer
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>
Acute Tox. 4 - H302	Xn;R22. Xi;R41.
Eye Dam. 1 - H318	
<b>SODIUM HYDROXIDE</b>	<b>1-2%</b>
CAS number: 1310-73-2	EC number: 215-185-5
	REACH registration number: 01-2119457892-27-xxxx
Substance with a Community workplace exposure limit.	
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>
Met. Corr. 1 - H290	C;R35
Skin Corr. 1A - H314	
Eye Dam. 1 - H318	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

## Active XLS NTA Free

<b>Inhalation</b>	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Remove affected person from source of contamination. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention if any discomfort continues.
<b>Skin contact</b>	Remove affected person from source of contamination. Remove contaminated clothing. Rinse immediately with plenty of water. Use suitable lotion to moisturise skin. Get medical attention if any discomfort continues.
<b>Eye contact</b>	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

### **4.2. Most important symptoms and effects, both acute and delayed**

<b>General information</b>	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
<b>Inhalation</b>	Coughing, chest tightness, feeling of chest pressure.
<b>Ingestion</b>	May cause discomfort if swallowed. May cause stomach pain or vomiting.
<b>Skin contact</b>	Prolonged contact may cause redness, irritation and dry skin.
<b>Eye contact</b>	May cause blurred vision and serious eye damage.

### **4.3. Indication of any immediate medical attention and special treatment needed**

<b>Notes for the doctor</b>	No specific recommendations. If in doubt, get medical attention promptly.
-----------------------------	---

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

<b>Suitable extinguishing media</b>	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
-------------------------------------	---

### **5.2. Special hazards arising from the substance or mixture**

<b>Specific hazards</b>	The product is non-combustible. Irritating gases or vapours. Thermal decomposition or combustion products may include the following substances: Acid smoke or fumes. Oxides of the following substances: Carbon. Nitrogen. No unusual fire or explosion hazards noted.
<b>Hazardous combustion products</b>	Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

### **5.3. Advice for firefighters**

<b>Protective actions during firefighting</b>	Avoid breathing fire gases or vapours. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
<b>Special protective equipment for firefighters</b>	Use air-supplied respirator, gloves and protective goggles. Use protective equipment appropriate for surrounding materials.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

<b>Personal precautions</b>	For personal protection, see Section 8.
-----------------------------	---

### **6.2. Environmental precautions**

<b>Environmental precautions</b>	Do not discharge into drains or watercourses or onto the ground. To prevent release, place container with damaged side up. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.
----------------------------------	--

### **6.3. Methods and material for containment and cleaning up**

## Active XLS NTA Free

### Methods for cleaning up

Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Stop leak if possible without risk. Dike far ahead of larger spills for later disposal. Absorb in vermiculite, dry sand or earth and place into containers. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Flush contaminated area with plenty of water. Take care as floors and other surfaces may become slippery. Flush contaminated area with plenty of water. The requirements of the local water authority must be complied with if contaminated water is flushed directly to the sewer. Wash thoroughly after dealing with a spillage.

### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. For waste disposal, see Section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes. Good personal hygiene procedures should be implemented.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container. Keep above the chemical's freezing point to avoid rupturing the container.

**Storage class** Chemical storage.

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

#### SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit

#### C9-C11 Alcohol ethoxylate (6) (CAS: 68439-46-3)

**Ingredient comments** No exposure limits known for ingredient(s).

#### SODIUM HYDROXIDE (CAS: 1310-73-2)

**DNEL** Consumer - Inhalation; Short term : 1 mg/m<sup>3</sup>  
Industry - Inhalation; Short term : 1 mg/m<sup>3</sup>  
Industry - Inhalation; Long term : 1 mg/m<sup>3</sup>

### 8.2. Exposure controls

#### Protective equipment



#### Appropriate engineering controls

No specific ventilation requirements. This product must not be handled in a confined space without adequate ventilation.

## Active XLS NTA Free

<b>Eye/face protection</b>	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles.
<b>Hand protection</b>	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. Wear protective gloves made of the following material: Polyvinyl chloride (PVC). Rubber (natural, latex). It is recommended that gloves are made of the following material: Neoprene. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.
<b>Other skin and body protection</b>	Wear appropriate clothing to prevent any possibility of skin contact. Provide eyewash station.
<b>Hygiene measures</b>	Provide eyewash station. Do not smoke in work area. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Wash contaminated clothing before reuse. When using do not eat, drink or smoke.
<b>Respiratory protection</b>	No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit. If ventilation is inadequate, suitable respiratory protection must be worn. Wear a respirator fitted with the following cartridge: Combination filter, type A2/P3.

### SECTION 9: Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
<b>Colour</b>	Light (or pale). Straw.
<b>Odour</b>	Mild.
<b>Odour threshold</b>	Not available. Not available.
<b>pH</b>	pH (concentrated solution): ~ 13.0 pH (diluted solution): ~ 11.5 @ 1%
<b>Melting point</b>	~ 0°C
<b>Initial boiling point and range</b>	~ 100 @°C @ 760 mm Hg
<b>Flash point</b>	Not applicable.
<b>Evaporation rate</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	Not applicable.
<b>Vapour pressure</b>	Not applicable.
<b>Vapour density</b>	Not applicable.
<b>Relative density</b>	~ 1.090 @ (20°C)°C
<b>Solubility(ies)</b>	Soluble in water. Miscible with water.
<b>Partition coefficient</b>	Not available.
<b>Auto-ignition temperature</b>	Not applicable.
<b>Decomposition Temperature</b>	Not available.
<b>Viscosity</b>	~ 1 cSt @ °C
<b>Oxidising properties</b>	Not applicable.

## Active XLS NTA Free

**Comments** Information declared as "Not available" or "Not applicable" is not considered to be relevant to the implementation of the proper control measures.

### 9.2. Other information

**Volatile organic compound** This product contains a maximum VOC content of 6 g/litre.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** Will not polymerise.

### 10.4. Conditions to avoid

**Conditions to avoid** Avoid excessive heat for prolonged periods of time. Reactions with the following materials may generate heat: Strong acids.

### 10.5. Incompatible materials

**Materials to avoid** Strong acids. Strong oxidising agents.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** No specific hazardous decomposition products noted.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity - oral

**ATE oral (mg/kg)** 25,252.52525253

#### Skin corrosion/irritation

**Human skin model test** Scientifically unjustified.

#### **Extreme pH**

≥ 11.5 Classification based on Conventional Method, and In Vitro Approaches - Corrosive or Irritant by measuring pH and Acid/Alkali Reserve. The classification is based on the criteria for extreme pH values, under Regulation (EC) 1272/2008, Annex I, section 3.2.3.1.2. Corrosive.

#### **General information**

This product has low toxicity. Only large quantities are likely to have adverse effects on human health.

#### **Inhalation**

May cause respiratory system irritation.

#### **Ingestion**

May cause discomfort if swallowed.

#### **Skin contact**

Irritating to skin. The product contains a small amount of sensitising substance. May cause sensitisation or allergic reactions in sensitive individuals.

#### **Eye contact**

Risk of serious damage to eyes.

#### **Route of entry**

Ingestion. Skin and/or eye contact

#### **Medical symptoms**

No specific symptoms noted, but this chemical may still have adverse health impact, either in general or on certain individuals.

## Active XLS NTA Free

**Medical considerations**      Skin disorders and allergies.

### Toxicological information on ingredients.

#### C9-C11 Alcohol ethoxylate (6)

**Other health effects**      There is no evidence that the product can cause cancer.

#### SODIUM HYDROXIDE

**Other health effects**      There is no evidence that the product can cause cancer.

#### Acute toxicity - oral

**Acute toxicity oral (LD<sub>50</sub>  
mg/kg)**      2,000.0

**Species**      Rat

#### Specific target organ toxicity - single exposure

**STOT - single exposure**      Not classified as a specific target organ toxicant after a single exposure.

#### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure**      Not classified as a specific target organ toxicant after repeated exposure.

#### Aspiration hazard

**Aspiration hazard**      Not anticipated to present an aspiration hazard, based on chemical structure.

**Route of entry**      Skin absorption Ingestion. Skin and/or eye contact

**Target organs**      No specific target organs known.

### **SECTION 12: Ecological Information**

**Ecotoxicity**      The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms. The product is not expected to be hazardous to wastewater treatment processes. The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment. The product does not contain organic complexing agents with a DOC level of degradation of < 80% after 28 days. The product does not contain organically bound halogen.

### Ecological information on ingredients.

#### SODIUM HYDROXIDE

**Ecotoxicity**      The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.

#### 12.1. Toxicity

**Acute toxicity - fish**      Not determined.

**Acute toxicity - aquatic  
invertebrates**      Not determined.

**Acute toxicity - aquatic plants**      Not determined.

## Active XLS NTA Free

**Acute toxicity - microorganisms** Not determined.

**Acute toxicity - terrestrial** Not determined.

### Ecological information on ingredients.

#### C9-C11 Alcohol ethoxylate (6)

<b>Acute toxicity - fish</b>	LC <sub>50</sub> , 96 hours: 10 mg/l, Fish
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: 10 mg/l, Daphnia magna
<b>Acute toxicity - aquatic plants</b>	IC <sub>50</sub> , 72 hours: 10 mg/l, Algae

#### SODIUM HYDROXIDE

<b>Acute toxicity - fish</b>	LC <sub>50</sub> , 48 hours, 48 hours: ~ 189 mg/l, Leuciscus idus (Golden orfe) LC <sub>50</sub> , 96 hours: 125 mg/l, Fish
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours, 48 hours: > 100 mg/l, Daphnia magna EC <sub>50</sub> , 48 hours: 40-240 mg/l, Daphnia magna
<b>Acute toxicity - aquatic plants</b>	Not known.

### 12.2. Persistence and degradability

**Persistence and degradability** The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer. The product is biodegradable but it must not be discharged into drains without permission from the authorities.

### Ecological information on ingredients.

#### C9-C11 Alcohol ethoxylate (6)

<b>Persistence and degradability</b>	The product is biodegradable. This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.
--------------------------------------	--

#### SODIUM HYDROXIDE

<b>Persistence and degradability</b>	The product contains only inorganic substances which are not biodegradable. The product is potentially degradable.
<b>Stability (hydrolysis)</b>	Not applicable.
<b>Biological oxygen demand</b>	~ 0 g O <sub>2</sub> /g substance

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** The product does not contain any substances expected to be bioaccumulating.

**Partition coefficient** Not available.



## Active XLS NTA Free

### Ecological information on ingredients.

#### C9-C11 Alcohol ethoxylate (6)

**Bioaccumulative potential** The product does not contain any substances expected to be bioaccumulating.

#### SODIUM HYDROXIDE

**Bioaccumulative potential** The product is not bioaccumulating.

### 12.4. Mobility in soil

**Mobility** The product is soluble in water.

### Ecological information on ingredients.

#### C9-C11 Alcohol ethoxylate (6)

**Mobility** The product is soluble in water.

#### SODIUM HYDROXIDE

**Mobility** The product is soluble in water.

**Henry's law constant** The product contains mainly inorganic substances which are not biodegradable.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### Ecological information on ingredients.

#### C9-C11 Alcohol ethoxylate (6)

**Results of PBT and vPvB assessment** This substance is not classified as PBT or vPvB according to current EU criteria.

#### SODIUM HYDROXIDE

**Results of PBT and vPvB assessment** This substance is not classified as PBT or vPvB according to current EU criteria.

### 12.6. Other adverse effects

**Other adverse effects** Not applicable.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**General information** The packaging must be empty (drop-free when inverted).

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Reuse or recycle products wherever possible. Discharge of small quantities to the sewer with plenty of water may be permitted. The requirements of the local water authority must be complied with if contaminated water is flushed directly to the sewer. Larger quantities should be treated in a suitable plant or disposed of via a licensed waste disposal contractor.

## SECTION 14: Transport information

## Active XLS NTA Free

### 14.1. UN number

UN No. (ADR/RID)	1824
UN No. (IMDG)	1824
UN No. (ICAO)	1824

### 14.2. UN proper shipping name

Proper shipping name (ADR/RID)	SODIUM HYDROXIDE SOLUTION
Proper shipping name (IMDG)	SODIUM HYDROXIDE SOLUTION
Proper shipping name (ICAO)	SODIUM HYDROXIDE SOLUTION
Proper shipping name (ADN)	SODIUM HYDROXIDE SOLUTION

### 14.3. Transport hazard class(es)

ADR/RID class	8
ADR/RID label	8
IMDG class	8
ICAO class/division	8

#### Transport labels



### 14.4. Packing group

ADR/RID packing group	III
IMDG packing group	III
ICAO packing group	III

### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

### 14.6. Special precautions for user

IMDG Code segregation group	18. Alkalis
EmS	F-A, S-B
Emergency Action Code	2W
Hazard Identification Number (ADR/RID)	80
Tunnel restriction code	(E)

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

## Active XLS NTA Free

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU legislation** Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).  
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

**Water hazard classification** WGK 2

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

### SECTION 16: Other information

**General information** Only trained personnel should use this material. This product has been manufactured under ISO 9001 and ISO 14001 Quality and Environmental Management Systems.

**Revision comments** NOTE: Lines within the margin indicate significant changes from the previous revision.

**Issued by** Prepared by Autosmart International Ltd, Lynn Lane, Shenstone, Lichfield, Staffordshire, WS14 0DH, Great Britain.  
www.autosmartinternational.com  
rbutler@autosmart.co.uk  
Tel +44 (0)1543 481616

**Revision date** 31/10/2014

**Revision** 3

**Supersedes date** 03/07/2013

**SDS number** 21043

**SDS status** Approved.

**Risk phrases in full** R22 Harmful if swallowed.  
R35 Causes severe burns.  
R38 Irritating to skin.  
R41 Risk of serious damage to eyes.

**Hazard statements in full** H290 May be corrosive to metals.  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H318 Causes serious eye damage.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.