



SAFETY DATA SHEET

All Purpose Wheel Cleaner

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name All Purpose Wheel Cleaner
Product number 777-13

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Car maintenance product. - Wheel Cleaner
Uses advised against This product is not recommended for any industrial, professional or consumer use other than the Identified uses above.

1.3. Details of the supplier of the safety data sheet

Supplier Autosmart International Ltd
Lynn Lane,
Shenstone, nr Lichfield
Staffordshire. WS14 0DH
England
www.autosmartinternational.com
Tel: +44 (0) 1543 481616 (09:00 - 17:00)
Fax: +44 (0) 1543 481549 (09:00 - 17:00)
info@autosmartinternational.com

Contact person Mr. Russell Butler

1.4. Emergency telephone number

Emergency telephone Mob: +44 (0) 7808 971321 (24hrs)
Tel: +44 (0) 1543 481616 (09:00 - 17:00)
Fax: +44 (0) 1543 481549 (09:00 - 17:00)

If you urgently need medical help or advice but it's not a life-threatening situation, call 111 free from any phone to speak to an NHS adviser. The 24-hour NHS 111 service can give you healthcare advice or direct you to the local service that can help you best.

The NHS 111 service will also be available via the harmonised European number for medical advice 116 117

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards

Not Classified

Health hazards

Skin Sens. 1 - H317

Environmental hazards

Not Classified

Classification (67/548/EEC or 1999/45/EC)

2.2. Label elements

Pictogram



All Purpose Wheel Cleaner

Signal word	Warning
Hazard statements	H317 May cause an allergic skin reaction.
Precautionary statements	P261 Avoid breathing vapour/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/container in accordance with national regulations.
Contains	methyl trimethyl-3-[(1-oxododecyl)amino]propylammonium sulphate
Detergent labelling	< 5% cationic surfactants, < 5% non-ionic surfactants, < 5% perfumes, < 5% phosphates
Supplementary precautionary statements	P272 Contaminated work clothing should not be allowed out of the workplace.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

SODIUM HYDROXIDE CAS number: 1310-73-2 EC number: 215-185-5 REACH registration number: 01-2119457892-27-xxxx Substance with a Community workplace exposure limit.	0.2-0.5%
Classification Met. Corr. 1 - H290 Skin Corr. 1A - H314 Eye Dam. 1 - H318	Classification (67/548/EEC or 1999/45/EC) C;R35
methyl trimethyl-3-[(1-oxododecyl)amino]propylammonium sulphate CAS number: 10595-49-0 EC number: 234-204-8 REACH registration number: 01-2119976277-23-XXXX M factor (Acute) = 10	0.2-0.5%
Classification Acute Tox. 4 - H302 Eye Irrit. 2 - H319 Skin Sens. 1A - H317 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411	Classification (67/548/EEC or 1999/45/EC) Xn;R22. Xi;R36. R43.
2-BUTOXYETHANOL CAS number: 111-76-2 EC number: 203-905-0 REACH registration number: 01-2119475108-36-xxxx Substance with a Community workplace exposure limit.	0.1-0.2%
Classification Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319	Classification (67/548/EEC or 1999/45/EC) Xn;R20/21/22 Xi;R36/38

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Get medical attention if any discomfort continues.

Ingestion

All Purpose Wheel Cleaner

Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention if any discomfort continues.

Skin contact

Remove contaminated clothing. Rinse with water. Use suitable lotion to moisturise skin. Get medical attention if any discomfort continues.

Eye contact

Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Continue to rinse for at least 15 minutes. Remove any contact lenses and open eyelids wide apart. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation

No specific symptoms known.

Ingestion

May cause discomfort if swallowed.

Skin contact

Prolonged skin contact may cause redness and irritation. Mild dermatitis, allergic skin rash.

Eye contact

Prolonged contact may cause redness and/or tearing.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor

No specific recommendations.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards

Oxides of the following substances: Carbon. Nitrogen. No unusual fire or explosion hazards noted.

Hazardous combustion products

Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting

No specific firefighting precautions known.

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

For personal protection, see Section 8.

6.2. Environmental precautions

Environmental precautions

Do not discharge into drains or watercourses or onto the ground. To prevent release, place container with damaged side up. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Stop leak if possible without risk. Large Spillages: Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Take care as floors and other surfaces may become slippery. Avoid the spillage or runoff entering drains, sewers or watercourses. Flush away spillage with plenty of water.

6.4. Reference to other sections

Reference to other sections

For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

All Purpose Wheel Cleaner

7.1. Precautions for safe handling

Usage precautions

Read and follow manufacturer's recommendations. Avoid spilling. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions

Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store in closed original container at temperatures between 5°C and 30°C. Keep above the chemical's freezing point to avoid rupturing the container.

Storage class

Chemical storage.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m3

2-BUTOXYETHANOL

Long-term exposure limit (8-hour TWA): WEL 25 ppm 123 mg/m3

Short-term exposure limit (15-minute): WEL 50 ppm 246 mg/m3

Sk

WEL = Workplace Exposure Limit

Sk = Can be absorbed through the skin.

SODIUM HYDROXIDE (CAS: 1310-73-2)

DNEL

Consumer - Inhalation; Short term : 1 mg/m3

Industry - Inhalation; Short term : 1 mg/m3

Industry - Inhalation; Long term : 1 mg/m3

methyl trimethyl-3-[(1-oxododecyl)amino]propylammonium sulphate (CAS: 10595-49-0)

Ingredient comments

No exposure limits known for ingredient(s).

2-BUTOXYETHANOL (CAS: 111-76-2)

Ingredient comments

Due to the hazardous nature of ingredients, exposure should be minimal.

DNEL

Industry - Dermal; Short term : 89 mg/kg/day

Industry - Inhalation; Short term : 246 mg/m3

Industry - Dermal; Long term : 75 mg/kg/day

Industry - Inhalation; Long term : 98 mg/m3

Consumer - Dermal; Short term : 44.5 mg/kg/day

Consumer - Inhalation; Short term : 123 mg/m3

Consumer - Oral; Short term : 13.4 mg/kg/day

Consumer - Dermal; Long term : 38 mg/kg/day

Consumer - Inhalation; Long term : 49 mg/m3

PNEC

- Fresh water; 8.8 mg/l

- Marine water; 0.88 mg/l

- Sediment (Freshwater); 8.14 mg/kg

- Soil; 2.8 mg/kg

- STP; 463 mg/l

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

All Purpose Wheel Cleaner

No specific ventilation requirements.

Eye/face protection

Not relevant. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC). It should be noted that liquid may penetrate the gloves. Frequent changes are recommended. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.

Other skin and body protection

Wear appropriate clothing to prevent repeated or prolonged skin contact. Provide eyewash station.

Hygiene measures

Provide eyewash station. Do not smoke in work area. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

Respiratory protection

No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance

Liquid.

Colour

Green.

Odour

Pleasant, agreeable.

Odour threshold

Not available. Not available.

pH

Not determined. Not determined.

Melting point

~0°C

Initial boiling point and range

~100°C @ 760 mm Hg

Flash point

> 100°C Does not flash.

Evaporation rate

Not determined.

Upper/lower flammability or explosive limits

Not available. : :

Vapour pressure

Not determined.

Relative density

~ 1.015 @ @ 20°C

Solubility(ies)

Soluble in water.

Partition coefficient

Not available.

Auto-ignition temperature

Not available.

Decomposition Temperature

Not available.

Viscosity

~ 1 cSt @ 20°C

All Purpose Wheel Cleaner

Oxidising properties

Does not meet the criteria for classification as oxidising.

Comments

Information declared as "Not available" or "Not applicable" is not considered to be relevant to the implementation of the proper control measures.

9.2. Other information

Volatile organic compound

This product contains a maximum VOC content of 1 g/litre.

SECTION 10: Stability and reactivity

10.1. Reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability

Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Not applicable. Will not polymerise.

10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time. Avoid freezing.

10.5. Incompatible materials

Materials to avoid

Strong acids. Strong alkalis.

10.6. Hazardous decomposition products

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO₂).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects

No significant health hazards when used for designed purpose and application and when used in accordance with instructions.

Other health effects

Suspect cancer hazard (contains material which) may cause cancer.

General information

This product has low toxicity. Only large quantities are likely to have adverse effects on human health.

Inhalation

No specific health hazards known.

Ingestion

May cause discomfort if swallowed.

Skin contact

May cause defatting of the skin but is not an irritant. The product contains a small amount of sensitising substance. May cause sensitisation or allergic reactions in sensitive individuals.

Eye contact

Vapour or spray in the eyes may cause irritation and smarting.

Acute and chronic health hazards

Because of the product's quantity and composition, the health hazard is regarded as low. No specific long-term effects known.

Route of entry

Ingestion.

Medical symptoms

No specific symptoms noted, but this chemical may still have adverse health impact, either in general or on certain individuals.

Toxicological information on ingredients.

All Purpose Wheel Cleaner
SODIUM HYDROXIDE

Other health effects

There is no evidence that the product can cause cancer.

Acute toxicity - oral

Acute toxicity oral (LD mg/kg)

2,000

Species

Rat

Specific target organ toxicity - single exposure

STOT - single exposure

Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure

Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Not anticipated to present an aspiration hazard, based on chemical structure.

Skin contact

Not a skin sensitiser.

Route of entry

Skin absorption Ingestion. Skin and/or eye contact

Target organs

No specific target organs known.

methyl trimethyl-3-[(1-oxododecyl)amino]propylammonium sulphate

Other health effects

There is no evidence that the product can cause cancer.

Skin sensitisation

Sensitising.

All Purpose Wheel Cleaner
2-BUTOXYETHANOL

Other health effects

ACGIH Carcinogen List. Possible cancer hazard (contains material which) may cause cancer based on animal data. Carcinogen Category 3.

Acute toxicity - oral

Acute toxicity oral (LD mg/kg)

1,300.0

Species

Rat

ATE oral (mg/kg)

1,300.0

Acute toxicity - dermal

Acute toxicity dermal (LD mg/kg)

2270.0

Species

Rat

ATE dermal (mg/kg)

1100

Acute toxicity - inhalation

ATE inhalation (vapours mg/l)

11.0

Skin sensitisation

Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro

Gene mutation:: Negative. This substance has no evidence of mutagenic properties.

Reproductive toxicity

Reproductive toxicity - fertility

Fertility: - NOAEL 720 mg/kg, , Mouse

Reproductive toxicity - development

Developmental toxicity: - NOAEL: 100 mg/kg, , Rat

SECTION 12: Ecological Information

Ecotoxicity

No negative effects on the aquatic environment are known. The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment.

Ecological information on ingredients.

SODIUM HYDROXIDE

Ecotoxicity

The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.

2-BUTOXYETHANOL

Ecotoxicity

Not regarded as dangerous for the environment.

12.1. Toxicity

Acute toxicity - fish

Not determined. LC , 96 hours: mg/l, Fish

Acute toxicity - aquatic invertebrates

Not determined. EC , 48 hours: mg/l, Daphnia magna

Acute toxicity - aquatic plants

Not determined.

Acute toxicity - microorganisms

Not determined.

All Purpose Wheel Cleaner

Acute toxicity - terrestrial

Not determined.

Ecological information on ingredients.

SODIUM HYDROXIDE

Acute toxicity - fish

LC50, 48 hours: ~ 189 mg/l, Leuciscus idus (Golden orfe) LC , 96 hours: 125 mg/l, Fish

Acute toxicity - aquatic invertebrates

EC , 48 hours: > 100 mg/l, Daphnia magna EC , 48 hours: 40-240 mg/l, Daphnia magna

Acute toxicity - aquatic plants

Not known.

methyl trimethyl-3-[(1-oxododecyl)amino]propylammonium sulphate

Acute aquatic toxicity

LE(C)

0.01 < L(E)C50 ≤ 0.1

M factor (Acute)

10

2-BUTOXYETHANOL

Acute toxicity - fish

LC50, 96 hours: > 100 mg/l, Lepomis macrochirus (Bluegill)

Acute toxicity - aquatic invertebrates

EC , 48 hours: 1550 mg/l, Daphnia magna

Acute toxicity - aquatic plants

EC , >: > 100 mg/l,

Acute toxicity - microorganisms

EC , >: > 1000 mg/l,

Chronic toxicity - fish early life stage

NOEC, 21 days: > 100 mg/l,

Chronic toxicity - aquatic invertebrates

NOEC, 21 days: 100 mg/l, Daphnia magna

12.2. Persistence and degradability

Persistence and degradability

The product is biodegradable. The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

Ecological information on ingredients.

SODIUM HYDROXIDE

Persistence and degradability

The product contains only inorganic substances which are not biodegradable. The product is potentially degradable.

Stability (hydrolysis)

Not applicable.

Biological oxygen demand

~ 0 g O /g substance

methyl trimethyl-3-[(1-oxododecyl)amino]propylammonium sulphate

Persistence and degradability

The product is readily biodegradable.

2-BUTOXYETHANOL

Persistence and degradability

The product is biodegradable.

Biodegradation

water - Degradation (%) 90.4: 28 days

12.3. Bioaccumulative potential

All Purpose Wheel Cleaner

The product does not contain any substances expected to be bioaccumulating.

Partition coefficient

Not available.

Ecological information on ingredients.

SODIUM HYDROXIDE

The product is not bioaccumulating.

methyl trimethyl-3-[(1-oxododecyl)amino]propylammonium sulphate

The product does not contain any substances expected to be bioaccumulating.

2-BUTOXYETHANOL

The product is not bioaccumulating.

Partition coefficient

: 0.81

12.4. Mobility in soil

Mobility

The product is soluble in water.

Ecological information on ingredients.

SODIUM HYDROXIDE

Mobility

The product is soluble in water.

Henry's law constant

The product contains mainly inorganic substances which are not biodegradable.

methyl trimethyl-3-[(1-oxododecyl)amino]propylammonium sulphate

Mobility

The product is soluble in water.

2-BUTOXYETHANOL

Mobility

The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.

Adsorption/desorption coefficient

Soil - Koc: ~ 67 @ °C

Henry's law constant

0.000016 atm m³/mol @ °C

Surface tension

65 mN/m @ °C

12.5. Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

Ecological information on ingredients.

SODIUM HYDROXIDE

This substance is not classified as PBT or vPvB according to current EU criteria.

2-BUTOXYETHANOL

This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Not applicable.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information

The packaging must be empty (drop-free when inverted).

Disposal methods

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

All Purpose Wheel Cleaner

Packaging: Reuse or recycle products wherever possible.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

UN No. (IMDG)

UN No. (ICAO)

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not applicable.

ADR/RID class

ADR/RID subsidiary risk

ADR/RID label

IMDG class

IMDG subsidiary risk

ICAO class/division

ICAO subsidiary risk

Transport labels

14.4. Packing group

Not applicable.

ADR/RID packing group

IMDG packing group

ICAO packing group

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

EmS

Emergency Action Code

Hazard Identification Number
(ADR/RID)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and Directive 91/689/EEC on hazardous waste with amendments.

EU legislation

Dangerous Preparations Directive 1999/45/EC. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling

All Purpose Wheel Cleaner

and packaging of substances and mixtures (as amended).

Guidance

Workplace Exposure Limits EH40.

Water hazard classification

WGK 1

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information

Only trained personnel should use this material. This product has been manufactured under ISO 9001 and ISO 14001 Quality and Environmental Management Systems.

Revision comments

NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 10/03/2015

Revision 1

Supersedes date 12/05/2012

Risk phrases in full

NC Not classified.
R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.
R22 Harmful if swallowed.
R35 Causes severe burns.
R36 Irritating to eyes.
R36/38 Irritating to eyes and skin.
R43 May cause sensitisation by skin contact.

Hazard statements in full

H290 May be corrosive to metals.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.