



SAFETY DATA SHEET

Autofoam

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Autofoam
Product number 275-1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Car maintenance product. - Traffic Film Remover
Uses advised against For professional use only. This product is not recommended for any industrial, professional or consumer use other than the Identified uses above.

1.3. Details of the supplier of the safety data sheet

Supplier Autosmart International Ltd
Lynn Lane,
Shenstone, nr Lichfield
Staffordshire. WS14 0DH
England
www.autosmartinternational.com
Tel: +44 (0) 1543 481616 (09:00 - 17:00)
Fax: +44 (0) 1543 481549 (09:00 - 17:00)
info@autosmartinternational.com

Contact person Mr. Russell Butler

1.4. Emergency telephone number

Emergency telephone Mob: +44 (0) 7808 971321 (24hrs) Tel: +44 (0) 1543 481616 (09:00 - 17:00) Fax: +44 (0) 1543 481549 (09:00 - 17:00) If you urgently need medical help or advice but it's not a life-threatening situation, call 111 free from any phone to speak to an NHS adviser. The 24-hour NHS 111 service can give you healthcare advice or direct you to the local service that can help you best. If NHS 111 does not yet cover your area, you can call NHS Direct in England or Wales on 08 45 46 47* or NHS 24 in Scotland on 0845 24 24 24* (UK Only) The NHS 111 service will also be available via the harmonised European number for medical advice 116 117* Calls to 084 numbers are charged at a higher rate than standard calls on BT's most popular call plan (BT Unlimited Weekend). Mobile and other providers costs will vary and you should check the costs of calls with your provider

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards

Met. Corr. 1 - H290

Health hazards

Skin Irrit. 2 - H315 Eye Dam. 1 - H318

Environmental hazards

Not Classified

Classification (67/548/EEC or 1999/45/EC)

Xi; R38, R41.

2.2. Label elements

Pictogram

Autofoam



Signal word	Danger
Hazard statements	H290 May be corrosive to metals. H315 Causes skin irritation. H318 Causes serious eye damage.
Precautionary statements	P264 Wash contaminated skin thoroughly after handling. P280 Wear protective gloves. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash it before reuse.
Contains	C9-C11 Alcohol ethoxylate (6), SODIUM HYDROXIDE, Betaines, C12-14-Alkyldimethyl, β -Alanine, N-coco alkyl derivs., sodium salts
Detergent labelling	< 5% NTA (nitrilotriacetic acid) and salts thereof, < 5% non-ionic surfactants, < 5% amphoteric surfactants, < 5% amphoteric surfactants, < 5% anionic surfactants
Supplementary precautionary statements	P332+P313 If skin irritation occurs: Get medical advice/attention. P390 Absorb spillage to prevent material damage. P337+P313 If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Trisodium Nitrilotriacetate	2-5%
CAS number: 5064-31-3 EC number: 225-768-6 REACH registration number: 01-2119519239-36-xxxx	
Classification	Classification (67/548/EEC or 1999/45/EC)
Acute Tox. 4 - H302	Carc. Cat. 3;R40 Xn;R22 Xi;R36
Eye Irrit. 2 - H319	
Carc. 2 - H351	
C9-C11 Alcohol ethoxylate (6)	2-5%
CAS number: 68439-46-3 EC number: – REACH registration number: Polymer	
Classification	Classification (67/548/EEC or 1999/45/EC)
Acute Tox. 4 - H302	Xn;R22. Xi;R41.
Eye Dam. 1 - H318	
2-BUTOXYETHANOL	2-5%
CAS number: 111-76-2 EC number: 203-905-0 REACH registration number: 01-2119475108-36-xxxx	
Substance with a Community workplace exposure limit.	
Classification	Classification (67/548/EEC or 1999/45/EC)
Acute Tox. 4 - H302	Xn;R20/21/22 Xi;R36/38
Acute Tox. 4 - H312	
Acute Tox. 4 - H332	
Skin Irrit. 2 - H315	
Eye Irrit. 2 - H319	

Autofoam

SODIUM HYDROXIDE 1-2% CAS number: 1310-73-2 EC number: 215-185-5 REACH registration number: 01-2119457892-27-xxxx Substance with a Community workplace exposure limit.	
Classification Met. Corr. 1 - H290 Skin Corr. 1A - H314 Eye Dam. 1 - H318	Classification (67/548/EEC or 1999/45/EC) C;R35
Betaines, C12-14-Alkyldimethyl 1-2% CAS number: 66455-29-6 EC number: 266-368-1	
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318	Classification (67/548/EEC or 1999/45/EC) Xi;R36,R38.
β-Alanine, N-coco alkyl derivs., sodium salts 1-2% CAS number: 68608-68-4 EC number: 271-795-1	
Classification Eye Dam. 1 - H318	Classification (67/548/EEC or 1999/45/EC) Xi;R36.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

Ingestion

Remove affected person from source of contamination. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention if any discomfort continues.

Skin contact

Remove affected person from source of contamination. Remove contaminated clothing. Rinse immediately with plenty of water. Use suitable lotion to moisturise skin. Get medical attention if any discomfort continues.

Eye contact

Remove any contact lenses and open eyelids wide apart. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General information

The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

Inhalation

Coughing, chest tightness, feeling of chest pressure.

Ingestion

May cause discomfort if swallowed. May cause stomach pain or vomiting.

Skin contact

Prolonged contact may cause redness, irritation and dry skin.

Eye contact

May cause blurred vision and serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor

No specific recommendations. If in doubt, get medical attention promptly.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Autofoam

5.2. Special hazards arising from the substance or mixture

Specific hazards

The product is non-combustible. Irritating gases or vapours. Thermal decomposition or combustion products may include the following substances: Acrid smoke or fumes. Oxides of the following substances: Carbon. Nitrogen. No unusual fire or explosion hazards noted.

Hazardous combustion products

Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting

Avoid breathing fire gases or vapours. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective equipment for firefighters

Use air-supplied respirator, gloves and protective goggles. Use protective equipment appropriate for surrounding materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

For personal protection, see Section 8.

6.2. Environmental precautions

Environmental precautions

Do not discharge into drains or watercourses or onto the ground. To prevent release, place container with damaged side up. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Stop leak if possible without risk. Dike far ahead of larger spills for later disposal. Absorb in vermiculite, dry sand or earth and place into containers. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Flush contaminated area with plenty of water. Take care as floors and other surfaces may become slippery. Flush contaminated area with plenty of water. The requirements of the local water authority must be complied with if contaminated water is flushed directly to the sewer. Wash thoroughly after dealing with a spillage.

6.4. Reference to other sections

Reference to other sections

For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions

Avoid spilling. Avoid contact with skin and eyes. Good personal hygiene procedures should be implemented.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions

Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container. Keep above the chemical's freezing point to avoid rupturing the container.

Storage class

Chemical storage.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

Autofoam

2-BUTOXYETHANOL

Long-term exposure limit (8-hour TWA): WEL 25 ppm 123 mg/m³

Short-term exposure limit (15-minute): WEL 50 ppm 246 mg/m³

Sk

SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit

Sk = Can be absorbed through the skin.

Trisodium Nitrotriacetate (CAS: 5064-31-3)

Ingredient comments

No exposure limits known for ingredient(s).

DNEL	Industry - Inhalation; Short term : 5.25 mg/m ³ Industry - Inhalation; Long term : 3.5 mg/m ³ Consumer - Inhalation; Short term : 1.75 mg/m ³ Consumer - Inhalation; Long term : 0.5 mg/kg/day
PNEC	- Fresh water; 0.93 mg/l - Marine water; 0.093 mg/l - STP; 540 mg/l - Sediment; 3.64 mg/kg - Soil; 0.182 mg/kg

C9-C11 Alcohol ethoxylate (6) (CAS: 68439-46-3)

Ingredient comments

No exposure limits known for ingredient(s).

2-BUTOXYETHANOL (CAS: 111-76-2)

Ingredient comments

Due to the hazardous nature of ingredients, exposure should be minimal.

DNEL	Industry - Dermal; Short term : 89 mg/kg/day Industry - Inhalation; Short term : 246 mg/m ³ Industry - Dermal; Long term : 75 mg/kg/day Industry - Inhalation; Long term : 98 mg/m ³ Consumer - Dermal; Short term : 44.5 mg/kg/day Consumer - Inhalation; Short term : 123 mg/m ³ Consumer - Oral; Short term : 13.4 mg/kg/day Consumer - Dermal; Long term : 38 mg/kg/day Consumer - Inhalation; Long term : 49 mg/m ³
PNEC	- Fresh water; 8.8 mg/l - Marine water; 0.88 mg/l - Sediment (Freshwater); 8.14 mg/kg - Soil; 2.8 mg/kg - STP; 463 mg/l

SODIUM HYDROXIDE (CAS: 1310-73-2)

DNEL	Consumer - Inhalation; Short term : 1 mg/m ³ Industry - Inhalation; Short term : 1 mg/m ³ Industry - Inhalation; Long term : 1 mg/m ³
------	--

Betaines, C12-14-Alkyldimethyl (CAS: 66455-29-6)

Ingredient comments

No exposure limits known for ingredient(s).

β-Alanine, N-coco alkyl derivs., sodium salts (CAS: 68608-68-4)

Ingredient comments

No exposure limits known for ingredient(s).

8.2. Exposure controls

Protective equipment



Autofoam

Appropriate engineering controls

No specific ventilation requirements. This product must not be handled in a confined space without adequate ventilation.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. Wear protective gloves made of the following material: Polyvinyl chloride (PVC). Rubber (natural, latex). It is recommended that gloves are made of the following material: Neoprene. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact. Provide eyewash station.

Hygiene measures

Provide eyewash station. Do not smoke in work area. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Wash contaminated clothing before reuse. When using do not eat, drink or smoke.

Respiratory protection

No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit. If ventilation is inadequate, suitable respiratory protection must be worn. Wear a respirator fitted with the following cartridge: Combination filter, type A2/P3.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance

Liquid.

Colour

Green.

Odour

Mild.

Odour threshold

Not available. Not available.

pH

pH (concentrated solution): ~ 13.0 pH (diluted solution): ~ 11.0 @ 1%

Melting point

~ 0°C

Initial boiling point and range

~ 100 @°C @ 760 mm Hg

Flash point

Not applicable.

Evaporation rate

Not available.

Upper/lower flammability or explosive limits

Not applicable. : :

Vapour pressure

Not applicable.

Vapour density

Not applicable.

Relative density

~ 1.050 @ (20°C)°C

Solubility(ies)

Soluble in water. Miscible with water.

Partition coefficient

Not available.

Auto-ignition temperature

Not applicable.

Autofoam

Decomposition Temperature

Not available.

Viscosity

~ 1 cSt @ °C

Oxidising properties

Not applicable.

Comments

Information declared as "Not available" or "Not applicable" is not considered to be relevant to the implementation of the proper control measures.

9.2. Other information

Volatile organic compound

This product contains a maximum VOC content of 34 g/litre.

SECTION 10: Stability and reactivity

10.1. Reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability

Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Will not polymerise.

10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time. Reactions with the following materials may generate heat: Strong acids.

10.5. Incompatible materials

Materials to avoid

Strong acids. Strong oxidising agents.

10.6. Hazardous decomposition products

No specific hazardous decomposition products noted.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg)

6,093.84521633

Acute toxicity - dermal

ATE dermal (mg/kg)

33846.15384615

Acute toxicity - inhalation

ATE inhalation (vapours mg/l)

338.46153846

Skin corrosion/irritation

Human skin model test

Scientifically unjustified.

Extreme pH

= 11.5 Classification based on Conventional Method, and In Vitro Approaches - Corrosive or Irritant by measuring pH and Acid/Alkali Reserve. Irritating.

General information

This product has low toxicity. Only large quantities are likely to have adverse effects on human health.

Inhalation

May cause respiratory system irritation.

Ingestion

May cause discomfort if swallowed.

Autofoam

Skin contact

Irritating to skin. Not a skin sensitiser.

Eye contact

Risk of serious damage to eyes.

Route of entry

Ingestion. Skin and/or eye contact

Medical symptoms

No specific symptoms noted, but this chemical may still have adverse health impact, either in general or on certain individuals.

Medical considerations

Skin disorders and allergies.

Toxicological information on ingredients.

Trisodium Nitriacetate

Toxicological effects

Nitriacetate acid, trisodium salt (NTA) has caused kidney tumours in rats and mice when administered orally in high concentrations. The tumours are based on organ damage that can only occur when extremely high threshold limit concentrations, as compared with possible human exposure, are exceeded. In view of the potential degree of exposure, there should be no cancer risk to humans.

Other health effects

Possible cancer hazard (contains material which) may cause cancer based on animal data.

Carcinogenicity

Limited evidence of a carcinogenic effect.

C9-C11 Alcohol ethoxylate (6)

Other health effects

There is no evidence that the product can cause cancer.

Autofoam**2-BUTOXYETHANOL****Other health effects**

ACGIH Carcinogen List. Possible cancer hazard (contains material which) may cause cancer based on animal data. Carcinogen Category 3.

Acute toxicity - oral**Acute toxicity oral (LD50 mg/kg)**

1,300.0

Species

Rat

ATE oral (mg/kg)

1,300.0

Acute toxicity - dermal**Acute toxicity dermal (LD50 mg/kg)**

2270.0

Species

Rat

ATE dermal (mg/kg)

1100

Acute toxicity - inhalation**ATE inhalation (vapours mg/l)**

11.0

Skin sensitisation

Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising.

Germ cell mutagenicity**Genotoxicity - in vitro**

Gene mutation:: Negative. This substance has no evidence of mutagenic properties.

Reproductive toxicity**Reproductive toxicity - fertility**

Fertility: - NOAEL 720 mg/kg, , Mouse

Reproductive toxicity - development

Developmental toxicity: - NOAEL: 100 mg/kg, , Rat

Autofoam
SODIUM HYDROXIDE

Other health effects

There is no evidence that the product can cause cancer.

Acute toxicity - oral

Acute toxicity oral (LD50 mg/kg)

2,000

Species

Rat

Specific target organ toxicity - single exposure**STOT - single exposure**

Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure**STOT - repeated exposure**

Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Not anticipated to present an aspiration hazard, based on chemical structure.

Skin contact

Not a skin sensitiser.

Route of entry

Skin absorption Ingestion. Skin and/or eye contact

Target organs

No specific target organs known.

Betaines, C12-14-Alkyldimethyl

Other health effects

There is no evidence that the product can cause cancer.

β-Alanine, N-coco alkyl derivs., sodium salts

Other health effects

There is no evidence that the product can cause cancer.

Acute toxicity - oral

Acute toxicity oral (LD50 mg/kg)

5,000

Species

Rat

SECTION 12: Ecological Information

Ecotoxicity

The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms. The product is not expected to be hazardous to wastewater treatment processes. The product contains a substance which is very toxic to aquatic organisms. The product does not contain organic complexing agents with a DOC level of degradation of < 80% after 28 days. The product does not contain organically bound halogen.

Autofoam

Ecological information on ingredients.

2-BUTOXYETHANOL

Ecotoxicity

Not regarded as dangerous for the environment.

SODIUM HYDROXIDE

Ecotoxicity

The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.

Betaines, C12-14-Alkyldimethyl

Ecotoxicity

The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment.

β -Alanine, N-coco alkyl derivs., sodium salts

Ecotoxicity

The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment.

12.1. Toxicity

Acute toxicity - fish

Not determined.

Acute toxicity - aquatic invertebrates

Not determined.

Acute toxicity - aquatic plants

Not determined.

Acute toxicity - microorganisms

Not determined.

Acute toxicity - terrestrial

Not determined.

Autofoam

Ecological information on ingredients.

Trisodium Nitilotriacetate

Acute toxicity - fish

LC , 96 hours: 114-470 mg/l, Fish

Acute toxicity - aquatic invertebrates

EC , 48 hours: 560-1,000 mg/l, Daphnia magna

Acute toxicity - aquatic plants

IC , 72 hours: 180-320 mg/l, Algae

C9-C11 Alcohol ethoxylate (6)

Acute toxicity - fish

LC , 96 hours: 10 mg/l, Fish

Acute toxicity - aquatic invertebrates

EC , 48 hours: 10 mg/l, Daphnia magna

Acute toxicity - aquatic plants

IC , 72 hours: 10 mg/l, Algae

2-BUTOXYETHANOL

Acute toxicity - fish

LC50, 96 hours: > 100 mg/l, Lepomis macrochirus (Bluegill)

Acute toxicity - aquatic invertebrates

EC , 48 hours: 1550 mg/l, Daphnia magna

Acute toxicity - aquatic plants

EC , >: > 100 mg/l,

Acute toxicity - microorganisms

EC , >: > 1000 mg/l,

Chronic toxicity - fish early life stage

NOEC, 21 days: > 100 mg/l,

Chronic toxicity - aquatic invertebrates

NOEC, 21 days: 100 mg/l, Daphnia magna

SODIUM HYDROXIDE

Acute toxicity - fish

LC50, 48 hours: ~ 189 mg/l, Leuciscus idus (Golden orfe) LC , 96 hours: 125 mg/l, Fish

Acute toxicity - aquatic invertebrates

EC , 48 hours: > 100 mg/l, Daphnia magna EC , 48 hours: 40-240 mg/l, Daphnia magna

Acute toxicity - aquatic plants

Not known.

β -Alanine, N-coco alkyl derivs., sodium salts

Acute toxicity - fish

NOEC, : 10.7 mg/l, Onchorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic invertebrates

EC , : 97.5 mg/l, Daphnia magna

Acute toxicity - aquatic plants

EC , 72 hours: 31 mg/l, Marinewater algae

12.2. Persistence and degradability

Persistence and degradability

The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer. The product is biodegradable but it must not be discharged into drains without permission from the authorities.

Chemical oxygen demand

~ 0.226 g O₂/g substance

Autofoam

Ecological information on ingredients.

Trisodium Nitritotriacetate

Persistence and degradability

The product is biodegradable.

C9-C11 Alcohol ethoxylate (6)

Persistence and degradability

The product is biodegradable. This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

2-BUTOXYETHANOL

Persistence and degradability

The product is biodegradable.

Biodegradation

water - Degradation (%) 90.4: 28 days

SODIUM HYDROXIDE

Persistence and degradability

The product is biodegradable.

Stability (hydrolysis)

Not applicable.

Biological oxygen demand

~ 0 g O₂/g substance

Betaines, C12-14-Alkyldimethyl

Persistence and degradability

The product is biodegradable.

β-Alanine, N-coco alkyl derivs., sodium salts

Persistence and degradability

The product is biodegradable.

12.3. Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating.

Partition coefficient

Not available.

Ecological information on ingredients.

Trisodium Nitritotriacetate

The product does not contain any substances expected to be bioaccumulating.

C9-C11 Alcohol ethoxylate (6)

The product does not contain any substances expected to be bioaccumulating.

2-BUTOXYETHANOL

The product is not bioaccumulating.

Partition coefficient

: 0.81

SODIUM HYDROXIDE

The product is not bioaccumulating.

Betaines, C12-14-Alkyldimethyl

The product does not contain any substances expected to be bioaccumulating.

β-Alanine, N-coco alkyl derivs., sodium salts

The product is not bioaccumulating.

12.4. Mobility in soil

Mobility

Autofoam

The product is soluble in water.

Ecological information on ingredients.

Trisodium Nitrilotriacetate

Mobility

The product is soluble in water.

C9-C11 Alcohol ethoxylate (6)

Mobility

The product is soluble in water.

2-BUTOXYETHANOL

Mobility

The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.

Adsorption/desorption coefficient

Soil - Koc: ~ 67 @ °C

Henry's law constant

0.000016 atm m³/mol @ °C

Surface tension

65 mN/m @ °C

SODIUM HYDROXIDE

Mobility

The product is soluble in water.

Henry's law constant

The product contains mainly inorganic substances which are not biodegradable.

Betaines, C12-14-Alkyldimethyl

Mobility

The product is soluble in water.

β-Alanine, N-coco alkyl derivs., sodium salts

Mobility

The product is soluble in water.

12.5. Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

Ecological information on ingredients.

Trisodium Nitrilotriacetate

This substance is not classified as PBT or vPvB according to current EU criteria.

C9-C11 Alcohol ethoxylate (6)

This substance is not classified as PBT or vPvB according to current EU criteria.

2-BUTOXYETHANOL

This substance is not classified as PBT or vPvB according to current EU criteria.

SODIUM HYDROXIDE

This substance is not classified as PBT or vPvB according to current EU criteria.

Betaines, C12-14-Alkyldimethyl

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Not applicable.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information

The packaging must be empty (drop-free when inverted).

Disposal methods

Autofoam

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Reuse or recycle products wherever possible. Discharge of small quantities to the sewer with plenty of water may be permitted. The requirements of the local water authority must be complied with if contaminated water is flushed directly to the sewer. Larger quantities should be treated in a suitable plant or disposed of via a licensed waste disposal contractor.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID)	1824
UN No. (IMDG)	1824
UN No. (ICAO)	1824

14.2. UN proper shipping name

Proper shipping name (ADR/RID)	SODIUM HYDROXIDE SOLUTION
Proper shipping name (IMDG)	SODIUM HYDROXIDE SOLUTION
Proper shipping name (ICAO)	SODIUM HYDROXIDE SOLUTION
Proper shipping name (ADN)	SODIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es)

ADR/RID class	8
ADR/RID subsidiary risk	
ADR/RID label	8
IMDG class	8
IMDG subsidiary risk	
ICAO class/division	8
ICAO subsidiary risk	
Transport labels	



14.4. Packing group

ADR/RID packing group	III
IMDG packing group	III
ICAO packing group	III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

IMDG Code segregation group	18. Alkalis
EmS	F-A, S-B
Emergency Action Code	2W
Hazard Identification Number (ADR/RID)	80
Tunnel restriction code	(E)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Autofoam

Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and Directive 91/689/EEC on hazardous waste with amendments.

EU legislation

Dangerous Preparations Directive 1999/45/EC. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Guidance

Workplace Exposure Limits EH40. Safety Data Sheets for Substances and Preparations.

Health and environmental listings

Regulation (EC) 689/2008 of the European Parliament and of the Council of 17 June 2008 concerning the export and import of dangerous chemicals (as amended).

Water hazard classification

WGK 2

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information

Only trained personnel should use this material. This product has been manufactured under ISO 9001 and ISO 14001 Quality and Environmental Management Systems.

Revision comments

NOTE: Lines within the margin indicate significant changes from the previous revision.

Issued by	Prepared by Autosmart International Ltd, Lynn Lane, Shenstone, Lichfield, Staffordshire, WS14 0DH, Great Britain. www.autosmartinternational.com mailto:butler@autosmart.co.uk Tel +44 (0)1543 481616
Revision date	05/11/2014
Revision	2
Supersedes date	28/02/2014
SDS status	Approved.
Risk phrases in full	

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.
R22 Harmful if swallowed.
R35 Causes severe burns.
R36 Irritating to eyes.
R36/38 Irritating to eyes and skin.
R38 Irritating to skin.
R40 Limited evidence of a carcinogenic effect.
R41 Risk of serious damage to eyes.

Hazard statements in full

H290 May be corrosive to metals.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H351 Suspected of causing cancer if swallowed.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.