

SAFETY DATA SHEET

Truckwash 66

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Trade name: Truckwash 66
 Product no.: B0346
 Unique formula identifier (UFI): QQX0-F0RP-P00U-GMNY

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture: Cleaning product
 Restricted to professional users.

Use descriptors (UK REACH):

Sectors of use:	Description:
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Product category:	Description:
PC 35	Washing and Cleaning Products (including solvent based products)

EuPCS: PC-CLN-17.1 / Exterior cleaning products - all vehicle types

▼ Uses advised against : None known.

1.3. Details of the supplier of the safety data sheet

Company and address: **Autosmart International Limited**
 Lynn Lane,
 Shenstone,
 Lichfield
 WS14 0DH Staffordshire.
 United Kingdom
 +44 (0) 1543 481 616
 EU: Hållnäsgratan 14, 752 28 Uppsala, Sweden. +46 (0) 18-8439320
 (09:00 - 17:00)

Contact person: Russell Butler
 E-mail: SHREQ@autosmart.co.uk
 Revision: 18/07/2024
 SDS Version: 3.0
 Date of previous version: 16/07/2024 (2.0)

1.4. Emergency telephone number

NCEC - For Chemical Emergency Support ONLY (spill, leak, fire, exposure or accident), Call NCEC at +44 (0) 1865 407333 (24Hrs UK)
 when calling please quote "AUTOSMART 29003-NCEC"

If you urgently need medical help or advice but it's not a life-threatening situation, call 111 free from any phone to speak to an NHS adviser. The 24-hour NHS 111 service can give you healthcare advice or direct you to the local service that can help you best.

SECTION 2: HAZARDS IDENTIFICATION

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.1. Classification of the substance or mixture

Met. Corr. 1; H290, May be corrosive to metals.
Skin Corr. 1B; H314, Causes severe skin burns and eye damage.
Eye Dam. 1; H318, Causes serious eye damage.

2.2. Label elements

Hazard pictogram(s):



Signal word:

Danger

Hazard statement(s):

May be corrosive to metals. (H290)
Causes severe skin burns and eye damage. (H314)

Precautionary statement(s):

General:

-

Prevention:

Wear eye protection/protective gloves/protective clothing/face protection. (P280)
Do not breathe vapour/spray. (P260)

Response:

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. (P303+P361+P353)
Take off immediately all contaminated clothing and wash it before reuse. (P361+P364)
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

Storage:

-

Disposal:

Dispose of contents/container in accordance with national regulation (P501)

Hazardous substances:

sodium hydroxide;caustic soda
Alcohols, C9-11, ethoxylated
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts

Additional labelling:

UFI: QXQ0-F0RP-P00U-GMNY

Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law:

< 5%
· Amphoteric surfactants
· Anionic surfactants
· Non-ionic surfactants

2.3. Other hazards

Additional warnings:

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.
This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance:	Identifiers:	% w/w:	Classification:	Note:
Tetrasodium N,N-	CAS No.: 51981-21-6	3-5%	Met. Corr. 1, H290	

bis(carboxylatomethyl)-L-glutamate	EC No.: 257-573-7 UK-REACH: Index No.:			
sodium hydroxide;caustic soda	CAS No.: 1310-73-2 EC No.: 215-185-5 UK-REACH: Index No.: 011-002-00-6	3-5%	Met. Corr. 1, H290 Skin Corr. 1A, H314 Skin Corr. 1B, H314 (SCL: 2.00 %) Skin Irrit. 2, H315 (SCL: 0.50 %) Eye Irrit. 2, H319 (SCL: 0.50 %)	
Alcohols, C9-11, ethoxylated	CAS No.: 68439-46-3 EC No.: 931-514-1 UK-REACH: Index No.:	1-3%	Acute Tox. 4, H302 Eye Dam. 1, H318	[19]
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	CAS No.: 97862-59-4 EC No.: 931-296-8 UK-REACH: UK-01-5359967481-8-0006 Index No.:	1-3%	Eye Dam. 1, H318 Aquatic Chronic 3, H412	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information:

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet.

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation:

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact:

Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and treatment.

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

Eye contact:

If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

Ingestion:

In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit from returning to the mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

Burns:

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:
Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Nitrogen oxides (NO_x)
Carbon oxides (CO / CO₂)
Some metal oxides

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.
Hazchem Code: 2R

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.
Ensure adequate ventilation, especially in confined areas.
Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.
Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.
See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid direct contact with the product.
Smoking, drinking and consumption of food is not allowed in the work area.
See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Store in a container with a resistant inner liner.

Recommended storage material: Keep only in original packaging.
Container with a resistant inner liner.

Storage temperature: 5 - 30°C

Incompatible materials: Strong acids
Strong oxidizing agents

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

sodium hydroxide;caustic soda
Short term exposure limit (15 minutes) (mg/m³): 2

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.
EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts

Duration: :	Route of exposure: :	DNEL: :
Long term – Systemic effects - General population	Dermal	7.5 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	12.5 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	13.04 mg/m ³
Long term – Systemic effects - Workers	Inhalation	44 mg/m ³
Long term – Systemic effects - General population	Oral	7.5 mg/kg bw/day

Alcohols, C9-11, ethoxylated

Duration: :	Route of exposure: :	DNEL: :
Long term – Systemic effects - General population	Dermal	1250 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	2080 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	87 mg/m ³
Long term – Systemic effects - Workers	Inhalation	294 mg/m ³
Long term – Systemic effects - General population	Oral	25 mg/kg bw/day

sodium hydroxide;caustic soda

Duration: :	Route of exposure: :	DNEL: :
Long term – Local effects - General population	Inhalation	1 mg/m ³
Long term – Local effects - Workers	Inhalation	1 mg/m ³

Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate

Duration: :	Route of exposure: :	DNEL: :
Long term – Systemic effects - General population	Dermal	7500 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	15000 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	1.8 mg/m ³
Long term – Systemic effects - Workers	Inhalation	7.3 mg/m ³
Long term – Systemic effects - General population	Oral	1.5 mg/kg bw/day

PNEC

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts

Route of exposure: :	Duration of Exposure: :	PNEC: :
Freshwater		13.5 µg/L
Freshwater sediment		11.1 mg/kg
Marine water		1.35 µg/L
Marine water sediment		1.11 mg/kg
Sewage treatment plant		3 g/L
Soil		850 µg/kg

Alcohols, C9-11, ethoxylated

Route of exposure: :	Duration of Exposure: :	PNEC: :
Freshwater		103.79 µg/L
Freshwater sediment		13.7 mg/kg
Intermittent release (freshwater)		14 µg/L
Marine water		103.79 µg/L
Marine water sediment		13.7 mg/kg
Sewage treatment plant		1.4 mg/L
Soil		1 mg/kg

Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate

Route of exposure: :	Duration of Exposure: :	PNEC: :
Freshwater		9.45 mg/L
Intermittent release (freshwater)		953 µg/L
Intermittent release (marine water)		95.3 µg/L
Marine water		945 µg/L
Predators		67 mg/kg
Sewage treatment plant		41.2 mg/L
Soil		500 µg/kg

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations:

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios:

There are no exposure scenarios implemented for this product.

Exposure limits:

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures:

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Ensure that eyewash stations and safety showers are located within easy reach.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures:

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure:

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment

Generally:



Wash contaminated clothing before reuse.

Use only UKCA marked protective equipment.


Respiratory Equipment:

Type:	Class:	Colour:	Standards:	:
Respiratory protection is not needed in the event of adequate ventilation.				





Skin protection:

Recommended:	Type/Category:	Standards:	:
Dedicated work clothing should be worn.	-	-	
Non-slip safety shoes		EN ISO 20344	

Hand protection:

Material:	Glove thickness (mm):	Breakthrough time (min.):	Standards:	:
Nitrile	0,2	> 120	EN374-2, EN374-3, EN388	

Eye protection:

Type:	Standards:	:
Safety glasses with side shields.	EN166	
Safety glasses with side shields.	EN ISO 16321-1	
Face shield	EN166	
Face shield	EN ISO 16321-1	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

<i>Physical state:</i>	Liquid
<i>Colour:</i>	Pale yellow
<i>Odour / Odour threshold:</i>	Mild
<i>pH:</i>	12.9
<i>pH in solution:</i>	11.7 (1%)
<i>Density (g/cm³):</i>	1.08 (20 °C)
<i>Kinematic viscosity:</i>	Testing not relevant or not possible due to the nature of the product.
<i>Dynamic viscosity:</i>	~1 centistokes (20 °C)

<i>Particle characteristics:</i>	Does not apply to liquids.
Phase changes	
<i>Melting point/Freezing point (°C):</i>	~0
<i>Softening point/range (°C):</i>	Does not apply to liquids.
<i>Boiling point (°C):</i>	100
<i>Vapour pressure:</i>	Testing not relevant or not possible due to the nature of the product.
<i>Relative vapour density:</i>	Testing not relevant or not possible due to the nature of the product.
<i>Decomposition temperature (°C):</i>	Testing not relevant or not possible due to the nature of the product.
Data on fire and explosion hazards	
<i>Flash point (°C):</i>	Not applicable - based on structure
<i>Flammability (°C):</i>	The material is not combustible.
<i>Auto-ignition temperature (°C):</i>	No data available
<i>Lower and upper explosion limit (% v/v):</i>	Testing not relevant or not possible due to the nature of the product.
Solubility	
<i>Solubility in water:</i>	Completely soluble
<i>n-octanol/water coefficient (LogKow):</i>	Testing not relevant or not possible due to the nature of the product.
<i>Solubility in fat (g/L):</i>	Testing not relevant or not possible due to the nature of the product.
9.2. Other information	
<i>Sensitivity to shock:</i>	No
<i>VOC (g/l):</i>	0
<i>Oxidizing properties:</i>	Not applicable
<i>Other physical and chemical parameters:</i>	No data available.

SECTION 10: STABILITY AND REACTIVITY

- 10.1. Reactivity**
No data available.
- 10.2. Chemical stability**
The product is stable under the conditions, noted in section 7 "Handling and storage".
- 10.3. Possibility of hazardous reactions**
None known.
- 10.4. Conditions to avoid**
None known.
- 10.5. Incompatible materials**
Strong acids
Strong oxidizing agents
- 10.6. Hazardous decomposition products**
Thermal decomposition may produce corrosive vapours.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

Acute toxicity

Product/substance	Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>5000 mg/kgbw

Product/substance	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	2335 mg/kg

Product/substance	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts
Species:	Rat
Route of exposure:	Dermal
Test:	LD50
Result:	>2000 mg/kg

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Product/substance	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts
Species:	Rat
Test:	NOAEL
Result:	247 mg/kg

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Product/substance	Tetrasodium N,N-bis(carboxylatomethyl)-L-glutamate
Test method:	OECD 203
Species:	Fish, <i>Oncorhynchus mykiss</i>
Compartment:	Freshwater
Duration:	96 hours

Test:	LC50
Result:	> 100 mg/L
Product/substance	sodium hydroxide;caustic soda
Species:	Fish, Leuciscus idus
Duration:	96 hours
Test:	LC50
Result:	189 mg/L
Product/substance	sodium hydroxide;caustic soda
Species:	Crustacean, Daphnia magna
Duration:	48 hours
Test:	EC50
Result:	40-240 mg/L
Product/substance	sodium hydroxide;caustic soda
Species:	Crustacean, Ceriodaphnia dubia
Duration:	48 hours
Test:	EC50
Result:	40.4 mg/L
Product/substance	Alcohols, C9-11, ethoxylated
Species:	Algae
Test:	EC50
Result:	<1 mg/L
Product/substance	Alcohols, C9-11, ethoxylated
Species:	Fish
Test:	NOEC
Result:	>1<=10 mg/L
Product/substance	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts
Species:	Fish, Pimephales promelas
Compartment:	Freshwater
Duration:	96 hours
Test:	LC50
Result:	1.11 mg/L
Product/substance	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts
Species:	Daphnia, Daphnia magna
Compartment:	Freshwater
Duration:	48 hours
Test:	EC50
Result:	1.9 mg/L
Product/substance	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts
Species:	Fish, Oncorhynchus mykiss
Compartment:	Freshwater
Test:	EC10
Result:	0.135 mg/L

12.2. Persistence and degradability

Product/substance	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts
Compartment:	Activated Sludge Plant
Duration:	28 days
Result:	91.6
Conclusion:	Readily biodegradable

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion

are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Product/substance: 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts
 Compartment: Soil
 LogKow: 4.232
 Conclusion: Bioaccumulation is not expected

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product is covered by the regulations on hazardous waste. (*)
 HP 8 – Corrosive
 Dispose of contents/container to an approved waste disposal plant.
 Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code



20 01 29* Detergents containing dangerous substances


Specific labelling

Contaminated packing

EWC code: 15 01 10* Packaging containing residues of or contaminated by dangerous substances

SECTION 14: TRANSPORT INFORMATION

:	14.1 UN / ID:	14.2 UN proper shipping name:	14.3 Hazard class(es):	14.4 PG*:	14.5 Env**:	Other information::
ADR	UN1824	SODIUM HYDROXIDE SOLUTION	Transport hazard class: 8 Label: 8 Classification code: C5 	II	No	Limited quantities: 1 L Tunnel restriction code: (E) See below for additional information.
IMDG	UN1824	SODIUM HYDROXIDE SOLUTION	Transport hazard class: 8 Label: 8 Classification code: C5 	II	No	Limited quantities: 1 L EmS: F-A S-B See below for additional information.
IATA	UN1824	SODIUM HYDROXIDE SOLUTION	Transport hazard class: 8 Label: 8	II	No	See below for additional

	14.1 UN / ID:	14.2 UN proper shipping name:	14.3 Hazard class(es):	14.4 PG*:	14.5 Env**:	Other information::
:			Classification code: C5 			information.

* Packing group

** Environmental hazards

Additional information

ADR / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods.

Hazchem Code: 2R

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application: Restricted to professional users.
People under the age of 18 shall not be exposed to this product.

Demands for specific education: No specific requirements.

SEVESO - Categories / dangerous substances: Not applicable.

Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law: < 5%
 · Amphoteric surfactants
 · Anionic surfactants
 · Non-ionic surfactants

Additional information: The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Sources: The Management of Health and Safety at Work Regulations 1999.
 Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.
 Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.
 Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.
 Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: OTHER INFORMATION**Full text of H-phrases as mentioned in section 3**

H290, May be corrosive to metals.
H302, Harmful if swallowed.
H314, Causes severe skin burns and eye damage.
H315, Causes skin irritation.
H318, Causes serious eye damage.
H319, Causes serious eye irritation.
H412, Harmful to aquatic life with long lasting effects.

The full text of identified uses as mentioned in section 1

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
PC 35 = Washing and Cleaning Products (including solvent based products)

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
CAS = Chemical Abstracts Service
CE = Conformité Européenne (European conformity)
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
CSA = Chemical Safety Assessment
CSR = Chemical Safety Report
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EINECS = European Inventory of Existing Commercial chemical Substances
ES = Exposure Scenario
EUH statement = CLP-specific Hazard statement
EuPCS = European Product Categorisation System
EWC = European Waste Catalogue
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
GWP = Global warming potential
IARC = International Agency for Research on Cancer (IARC)
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SCL = A specific concentration limit
SVHC = Substances of Very High Concern
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The safety data sheet is validated by

Russell Butler

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en